

# Hyperhidrose – 1720 Références

## 500 – 1000

501: Ushijima T, Akemoto K, Kawakami K, Matsumoto Y, Tedoriya T, Ueyama T.

[Surgical technique of endoscopic transthoracic sympathectomy: axillary approach]

Kyobu Geka. 1998 Mar;51(3):206-9. Japanese.

PMID: 9528226

502: Odderson IR.

Axillary hyperhidrosis: treatment with botulinum toxin A.

Arch Phys Med Rehabil. 1998 Mar;79(3):350-2.

PMID: 9523792

503: Naumann M, Hofmann U, Bergmann I, Hamm H, Toyka KV, Reiners K.

Focal hyperhidrosis: effective treatment with intracutaneous botulinum toxin.

Arch Dermatol. 1998 Mar;134(3):301-4.

PMID: 9521028

504: Hasche E, Hagedorn M, Sattler G.

[Subcutaneous sweat gland suction curettage in tumescent local anesthesia in hyperhidrosis axillaris]

Hautarzt. 1997 Nov;48(11):817-9. German.

PMID: 9518243

505: Laskawi R, Drobik C, Schonebeck C.

Up-to-date report of botulinum toxin type A treatment in patients with gustatory sweating (Frey's syndrome).

Laryngoscope. 1998 Mar;108(3):381-4.

PMID: 9504611

506: Noppen M, Meysman M, D'Haese J, Vincken W.

Thoracoscopic splanchnicotomy for the relief of chronic pancreatitis pain: experience of a group of pneumologists.

Chest. 1998 Feb;113(2):528-31.

PMID: 9498977

507: Shelley WB, Talanin NY, Shelley ED.

Botulinum toxin therapy for palmar hyperhidrosis.

J Am Acad Dermatol. 1998 Feb;38(2 Pt 1):227-9.

PMID: 9486678

508: Wong CW.

The second thoracic sympathetic ganglion determines palm skin temperature in patients with essential palmar hyperhidrosis.

J Auton Nerv Syst. 1997 Dec 11;67(3):121-4.

PMID: 9479662

509: Boeve BF, Wijdicks EF, Benarroch EE, Schmidt KD.

Paroxysmal sympathetic storms ("diencephalic seizures") after severe diffuse axonal head injury.

Mayo Clin Proc. 1998 Feb;73(2):148-52.

PMID: 9472998

510: Beyer MJ, Freestone JF, Reimer JM, Bernard WV, Rueve ER.

Idiopathic hypocalcemia in foals.

J Vet Intern Med. 1997 Nov-Dec;11(6):356-60.

PMID: 9470161

511: Adar R.

Compensatory hyperhidrosis after thoracic sympathectomy.

Lancet. 1998 Jan 24;351(9098):231-2. No abstract available.

PMID: 9457090

512: Lazarczyk B, Chodynicky S, Rozanska-Kudelska M, Silko J.

[Parotid gland tumor histopathologic picture and treatment]

Otolaryngol Pol. 1995;49 Suppl 20:154-7. Polish.

PMID: 9454124

513: Andrews BT, Rennie JA.

Predicting changes in the distribution of sweating following thoracoscopic sympathectomy.

Br J Surg. 1997 Dec;84(12):1702-4.

PMID: 9448619

514: Wenzel FG, Horn TD.

Nonneoplastic disorders of the eccrine glands.

J Am Acad Dermatol. 1998 Jan;38(1):1-17; quiz 18-20. Review.

PMID: 9448199

515: Starzewski J, Hyla K, Kozera J.

[Thoracic sympathectomy using thoracoscopy]

Wiad Lek. 1997;50 Suppl 1 Pt 1:190-2. Polish.

PMID: 9446352

516: Noppen MM, Vincken WG.

Partial pulmonary sympathetic denervation by thoracoscopic D2-D3 sympathicolysis for essential hyperhidrosis: effect on the pulmonary diffusion capacity.

Respir Med. 1997 Oct;91(9):537-45.

PMID: 9415354

517: Laccourreye O, Muscatelo L, Naude C, Bonan B, Brasnu D.

Botulinum toxin type A for Frey's syndrome: a preliminary prospective study.

Ann Otol Rhinol Laryngol. 1998 Jan;107(1):52-5.

PMID: 9439389

518: Heckmann M, Schaller M, Ceballos-Baumann A, Plewig G.

Botulinum beyond wrinkles.

Dermatol Surg. 1997 Dec;23(12):1221-2. No abstract available.

PMID: 9426674

519: Noppen MM, Vincken WG.

Effects of thoracoscopic upper dorsal sympathicolysis for essential hyperhidrosis on bronchial responsiveness to histamine: implications on the autonomic imbalance theory of asthma.

Respirology. 1996 Sep;1(3):195-9.

PMID: 9424396

520: Parry-Jones AJ.

Thorascopic sympathectomy.

Br J Anaesth. 1997 Nov;79(5):688. No abstract available.

PMID: 9422913

521: Falci S, Holtz A, Akesson E, Azizi M, Ertzgaard P, Hultling C, Kjaeldgaard A, Levi R, Ringden O, Westgren M, Lammertse D, Seiger A.

Obliteration of a posttraumatic spinal cord cyst with solid human embryonic spinal cord grafts: first clinical attempt.

J Neurotrauma. 1997 Nov;14(11):875-84.

PMID: 9421458

522: Naumann M, Zellner M, Toyka KV, Reiners K.

Treatment of gustatory sweating with botulinum toxin.

Ann Neurol. 1997 Dec;42(6):973-5.

PMID: 9403490

523: Gerbino G, Rocchia F, Grosso M, Regge D.

Pseudoaneurysm of the internal maxillary artery and Frey's syndrome after blunt facial trauma.

J Oral Maxillofac Surg. 1997 Dec;55(12):1485-90. No abstract available.

PMID: 9393413

524: Ohno K, Oshita S.

Transdiscal lumbar sympathetic block: a new technique for a chemical sympathectomy.

Anesth Analg. 1997 Dec;85(6):1312-6.

PMID: 9390600

525: Bjerkhoel A, Trobbe O.

Frey's syndrome: treatment with botulinum toxin.

J Laryngol Otol. 1997 Sep;111(9):839-44.

PMID: 9373550

526: Linder TE, Huber A, Schmid S.

Frey's syndrome after parotidectomy: a retrospective and prospective analysis.  
Laryngoscope. 1997 Nov;107(11 Pt 1):1496-501.

PMID: 9369396

527: Bernardi L, Hayoz D, Wenzel R, Passino C, Calciati A, Weber R, Noll G.

Synchronous and baroreceptor-sensitive oscillations in skin microcirculation:  
evidence for central autonomic control.

Am J Physiol. 1997 Oct;273(4 Pt 2):H1867-78.

PMID: 9362255

528: Wong CW.

Stimulation of left stellate ganglion prolongs Q-T interval in patients with palmar  
hyperhidrosis.

Am J Physiol. 1997 Oct;273(4 Pt 2):H1696-8.

PMID: 9362232

529: Gossot D, Toledo L, Fritsch S, Celerier M.

Thoracoscopic sympathectomy for upper limb hyperhidrosis: looking for the right  
operation.

Ann Thorac Surg. 1997 Oct;64(4):975-8.

PMID: 9354512

530: Miller M.

Patients with troublesome sweating.

J Palliat Care. 1997 Autumn;13(3):53-4. No abstract available.

PMID: 9354042

531: Yamamoto K, Sobue G, Iwase S, Nagamatsu M, Mano T, Mitsuma T.

Skin sympathetic nerve activity in Guillain-Barre syndrome: a microneurographic study.

J Neurol Neurosurg Psychiatry. 1997 Oct;63(4):537-41.

PMID: 9343142

532: Dizon MV, Fischer G, Jopp-McKay A, Treadwell PW, Paller AS.

Localized facial flushing in infancy. Auriculotemporal nerve (Frey) syndrome.

Arch Dermatol. 1997 Sep;133(9):1143-5. Review.

PMID: 9301592

533: Fredman B, Olsfanger D, Jedeikin R.

Thorascopic sympathectomy in the treatment of palmar hyperhidrosis: anaesthetic implications.

Br J Anaesth. 1997 Jul;79(1):113-9. Review. No abstract available.

PMID: 9301398

534: Takama H, Tamada Y, Yano K, Nitta Y, Ikeya T.

Pitted keratolysis: clinical manifestations in 53 cases.

Br J Dermatol. 1997 Aug;137(2):282-5.

PMID: 9292083

535: Sayeed RA, Ghauri AS, Nyamekye I, Poskitt KR.

Assessment of outcome after thoracoscopic sympathectomy for hyperhidrosis in a specialized unit.

J R Coll Surg Edinb. 1997 Aug;42(4):287-8. No abstract available.

PMID: 9276577

536: Battal NM, Hata Y.

A classic surgical method for the treatment of axillary osmidrosis.  
Plast Reconstr Surg. 1997 Aug;100(2):550-1. No abstract available.  
PMID: 9252637

537: Cohen Z, Shinhar D, Kurzbart E, Finaly R, Mares AJ.

Laprosopic and thoracoscopic surgery in children and adolescents: A 3-year  
experience

Pediatr Surg Int. 1997 Jul 18;12(5/6):356-9.  
PMID: 9216899 [PubMed - as supplied by publisher]

538: Noppen M, Vincken W.

Essential hyperhidrosis in Turner syndrome.

Clin Genet. 1997 Jul;52(1):63-4.  
PMID: 9272716

539: Cohen Z, Shinhar D, Kurzbart E, Finaly R, Mares AJ.

Laparoscopic and thoracoscopic surgery in children and adolescents: a 3-year  
experience.

Pediatr Surg Int. 1997 Jul;12(5-6):356-9.  
PMID: 9244098

540: Lai YT, Yang LH, Chio CC, Chen HH.

Complications in patients with palmar hyperhidrosis treated with transthoracic  
endoscopic sympathectomy.

Neurosurgery. 1997 Jul;41(1):110-3; discussion 113-5.  
PMID: 9218302

541: Dart A, Jerums G, Nicholson G, d'Emden M, Hamilton-Craig I, Tallis G, Best  
J, West M, Sullivan D, Bracs P, Black D.

A multicenter, double-blind, one-year study comparing safety and efficacy of atorvastatin versus simvastatin in patients with hypercholesterolemia.

Am J Cardiol. 1997 Jul 1;80(1):39-44.

PMID: 9205017

542: Iwase S, Ikeda T, Kitazawa H, Hakusui S, Sugeno J, Mano T.

Altered response in cutaneous sympathetic outflow to mental and thermal stimuli in primary palmo-plantar hyperhidrosis.

J Auton Nerv Syst. 1997 Jun 6;64(2-3):65-73.

PMID: 9203126

543: Sedhom A, Wilson MC, Tyko LM 2nd, Demian R.

Auriculotemporal syndrome with canities.

Br J Oral Maxillofac Surg. 1997 Jun;35(3):222. No abstract available.

PMID: 9212302

544: Freeman S.

Shoe dermatitis.

Contact Dermatitis. 1997 May;36(5):247-51.

PMID: 9197959

545: Atherton WG, Morgan WE.

False aneurysm of an intercostal artery after thoracoscopic sympathectomy.

Ann R Coll Surg Engl. 1997 May;79(3):229-30. No abstract available.

PMID: 9196348

546: Deblier I, Breek JK, Herregodts P, Rutsaert R.

Regarding "Upper dorsal thoracoscopic sympathectomy for palmar hyperhidrosis: improved intermediate-term results".

J Vasc Surg. 1997 May;25(5):961-2. No abstract available.

PMID: 9152333

547: Noppen M.

[Treatment of essential hyperhidrosis using thoracoscopic high dorsal sympathectomy]

Ned Tijdschr Geneeskd. 1997 Apr 5;141(14):671-5. Review. Dutch.

PMID: 9198767

548: Schroder K, Goerdts S.

[Multiple eccrine hidrocystomas in Parkinson disease]

Hautarzt. 1997 Apr;48(4):270-3. German.

PMID: 9206718

549: Garber A, Gregory RJ.

Benzotropine in the treatment of venlafaxine-induced sweating.

J Clin Psychiatry. 1997 Apr;58(4):176-7. No abstract available.

PMID: 9164433

550: Bu TS, Kim YK, Whang KU.

A case of dermatopathia pigmentosa reticularis.

J Dermatol. 1997 Apr;24(4):266-9.

PMID: 9164071

551: Schnider P, Binder M, Auff E, Kittler H, Berger T, Wolff K.

Double-blind trial of botulinum A toxin for the treatment of focal hyperhidrosis of the palms.

Br J Dermatol. 1997 Apr;136(4):548-52.

PMID: 9155956

552: Dumont P, Hamm A, Skrobala D, Robin P, Toumieux B.

Bilateral thoracoscopy for sympathectomy in the treatment of hyperhidrosis.

Eur J Cardiothorac Surg. 1997 Apr;11(4):774-5.

PMID: 9151052

553: Park JH, Cha SH, Park SD.

Carbon dioxide laser treatment vs subcutaneous resection of axillary osmidrosis.

Dermatol Surg. 1997 Apr;23(4):247-51.

PMID: 9149790

554: Webster K.

Early results using a porcine dermal collagen implant as an interpositional barrier to prevent recurrent Frey's syndrome.

Br J Oral Maxillofac Surg. 1997 Apr;35(2):104-6.

PMID: 9146867

555: Giusti M, Ciccarelli E, Dallabonzana D, Delitala G, Faglia G, Liuzzi A, Gussoni G, Giordano Disem G.

Clinical results of long-term slow-release lanreotide treatment of acromegaly.

Eur J Clin Invest. 1997 Apr;27(4):277-84.

PMID: 9134375

556: Graupman PC, Rockswold GL, Blake D.

Thoracoscopic sympathectomy for palmar hyperhidrosis. A case report.

Minn Med. 1997 Apr;80(4):50-2.

PMID: 9128044

557: Kao MC.

Hyperhidrosis.

J Neurosurg. 1997 Apr;86(4):738-9. No abstract available.

PMID: 9120647

558: Schnider P, Binder M, Kittler H, Steinhoff N, Auff E.

Uses of botulinum toxin.

Lancet. 1997 Mar 29;349(9056):953. No abstract available.

PMID: 9093270

559: Kose O, Baloglu H.

Idiopathic unilateral circumscribed hyperhidrosis.

Int J Dermatol. 1997 Mar;36(3):209-10. No abstract available.

PMID: 9159007

560: Noppen M, Sevens C, Vincken WG.

Effects of non-pharmacological sympathetic sudomotor denervation on sweating in humans with essential palmar hyperhidrosis.

Clin Biochem. 1997 Mar;30(2):171-5.

PMID: 9127700

561: Leverstein H, van der Wal JE, Tiwari RM, van der Waal I, Snow GB.

Surgical management of 246 previously untreated pleomorphic adenomas of the parotid gland.

Br J Surg. 1997 Mar;84(3):399-403.

PMID: 9117322

562: Chu D, Shi PK, Wu CM.

Transthoracic endoscopic sympathectomy for treatment of hyperhidrosis palmaris.

Kaohsiung J Med Sci. 1997 Mar;13(3):162-8.

PMID: 9109303

563: Noppen M, Sevens C, Gerlo E, Vincken W.

Plasma catecholamine concentrations in essential hyperhidrosis and effects of thoracoscopic D2-D3 sympathicolytic.

Eur J Clin Invest. 1997 Mar;27(3):202-5.

PMID: 9088855

564: Shaw JE, Abbott CA, Tindle K, Hollis S, Boulton AJ.

A randomised controlled trial of topical glycopyrrolate, the first specific treatment for diabetic gustatory sweating.

Diabetologia. 1997 Mar;40(3):299-301.

PMID: 9084967

565: Wong CW.

Transthoracic video endoscopic electrocautery of sympathetic ganglia for hyperhidrosis palmaris: special reference to localization of the first and second ribs.

Surg Neurol. 1997 Mar;47(3):224-9; discussion 229-30.

PMID: 9068691

566: Isogai N, Kamiishi H.

Application of medical thermography to the diagnosis of Frey's syndrome.

Head Neck. 1997 Mar;19(2):143-7.

PMID: 9059873

567: Chu EC, Chu NS.

Patterns of sympathetic skin response in palmar hyperhidrosis.

Clin Auton Res. 1997 Feb;7(1):1-4.

PMID: 9074822

568: Naumann M, Flachenecker P, Brocker EB, Toyka KV, Reiners K.

Botulinum toxin for palmar hyperhidrosis.

Lancet. 1997 Jan 25;349(9047):252. No abstract available.

PMID: 9014916

569: Barraud-Klenovsek MM, Lubbe J, Burg G.

Primary digital clubbing associated with palmoplantar keratoderma.

Dermatology. 1997;194(3):302-5. Review.

PMID: 9187857

570: Segeren CM, Polderman KH, Lips P.

Agenesis of the corpus callosum associated with paroxysmal hypothermia:

Shapiro's syndrome.

Neth J Med. 1997 Jan;50(1):29-35.

PMID: 9038041

571: Chuang TY, Yen YS, Chiu JW, Chan RC, Chiang SC, Hsiao MP, Lee LS.

Intraoperative monitoring of skin temperature changes of hands before, during, and after endoscopic thoracic sympathectomy: using infrared thermograph and thermometer for measurement.

Arch Phys Med Rehabil. 1997 Jan;78(1):85-8.

PMID: 9014964

572: Kramer KM, Levine AM.

Posttraumatic syringomyelia: a review of 21 cases.

Clin Orthop. 1997 Jan;(334):190-9.

PMID: 9005913

573: Kao MC.

Percutaneous radiofrequency upper thoracic sympathectomy.

Neurosurgery. 1997 Jan;40(1):216-7. No abstract available.

PMID: 8971848

574: Oomen JL.

[Developments in and results of surgical treatment of pleomorphic adenoma of the parotid gland in 245 patients, 1974-1994]

Ned Tijdschr Geneesk. 1996 Dec 14;140(50):2529. Dutch. No abstract available.

PMID: 9005340

575: Fernandez Lopez MI, Sanchez Esteban J, Jimenez Bello J, Meseguer Zaragoza A.

[Suggestive episodes of hypoglycemia related to fluoxetine]

Aten Primaria. 1996 Dec;18(10):581. Spanish. No abstract available.

PMID: 9072092

576: Whiteley MS, Ray-Chaudhuri SB, Galland RB.

Abnormal suntanning following transthoracic endoscopic sympathectomy.

Br J Surg. 1996 Dec;83(12):1782. No abstract available.

PMID: 9038569

577: Belli E, Valentini V, Matteini C.

[The role of SMAS in the prevention of Frey's syndrome]

Minerva Stomatol. 1996 Dec;45(12):569-74. Italian.

PMID: 9026702

578: Claes G, Drott C, Wettervik C, Tygesen H, Emanuelsson H, Lomsky M, Radberg G.

Angina pectoris treated by thoracoscopic sympathectomy.

Cardiovasc Surg. 1996 Dec;4(6):830-1.

PMID: 9013019

579: Drott C, Claes G.

Hyperhidrosis treated by thoracoscopic sympathectomy.

Cardiovasc Surg. 1996 Dec;4(6):788-90; discussion 790-1.

PMID: 9013011

580: Shaw JE, Parker R, Hollis S, Gokal R, Boulton AJ.

Gustatory sweating in diabetes mellitus.

Diabet Med. 1996 Dec;13(12):1033-7.

PMID: 8973884

581: Oda S, Vocks E, Rakoski J, Ring J.

Successful treatment of dyshidrotic hand eczema using tap water iontophoresis with pulsed direct current.

Acta Derm Venereol. 1996 Nov;76(6):472-4.

PMID: 8982415

582: Cohen Z, Shinhar D, Mordechai J, Mares AJ.

[Thoracoscopic upper thoracic sympathectomy for primary palmar hyperhidrosis]

Harefuah. 1996 Nov 1;131(9):303-5, 374. Hebrew.

PMID: 8981795

583: Bangha E, Elsner P.

Skin problems in sugar artists.

Br J Dermatol. 1996 Nov;135(5):772-4.

PMID: 8977679

584: Hensinger RN.

Gastrointestinal problems and osteogenesis imperfecta.

J Bone Joint Surg Am. 1996 Nov;78(11):1785. No abstract available.

PMID: 8934498

585: Tucciarone L, Anaclerio S, Tomassini A, Papandrea S, Costantino F, Sabbi T.

[Anterior scalenus syndrome in pediatric age. Report of a case]

Minerva Pediatr. 1996 Oct;48(10):461-4. Italian.

PMID: 9053726

586: Goh CL, Yoyong K.

A comparison of topical tannic acid versus iontophoresis in the medical treatment of palmar hyperhidrosis.

Singapore Med J. 1996 Oct;37(5):466-8.

PMID: 9046194

587: Dunaway DJ, McLean NR.

Gustatory sweating in a free flap.

Br J Plast Surg. 1996 Oct;49(7):471-2.

PMID: 8983551

588: Avellanal M, Fernandez-Quero L, Barrios JM, Sanchez P, Navia J.

Pourfour du Petit syndrome: a case following a traffic accident with severe cranioencephalic trauma.

Intensive Care Med. 1996 Oct;22(10):1090-92.

PMID: 8923075

589: D'Haese J, Camu F, Noppen M, Herregodts P, Claeys MA.

Total intravenous anesthesia and high-frequency jet ventilation during transthoracic endoscopic sympathectomy for treatment of essential hyperhidrosis palmaris: a new approach.

J Cardiothorac Vasc Anesth. 1996 Oct;10(6):767-71.

PMID: 8910157

590: Yim AP.

Simultaneous vs staged bilateral video-assisted thoracoscopic surgery.

Surg Endosc. 1996 Oct;10(10):1029-30.

PMID: 8864102

591: Kao MC, Chen YL, Lin JY, Hsieh CS, Tsai JC.

Endoscopic sympathectomy treatment for craniofacial hyperhidrosis.

Arch Surg. 1996 Oct;131(10):1091-4.

PMID: 8857909

592: Bohn P, Sternbach H.

Topical aluminum chloride for social phobia-related hyperhidrosis.

Am J Psychiatry. 1996 Oct;153(10):1368. No abstract available.

PMID: 8831456

593: Noppen M, Dendale P, Hagers Y, Herregodts P, Vincken W, D'Haens J.

Changes in cardiocirculatory autonomic function after thoracoscopic upper dorsal sympathectomy for essential hyperhidrosis.

J Auton Nerv Syst. 1996 Sep 12;60(3):115-20.

PMID: 8912261

594: Leverstein H, van der Wal JE, Tiwari RM, van der Waal I, Snow GB.

[Development and results of surgical treatment of pleomorphic adenoma of the parotid gland in 245 patients, 1974-1994]

Ned Tijdschr Geneesk. 1996 Sep 7;140(36):1812-6. Dutch.

PMID: 8927143

595: Filatova EG, Solov'eva AD, Kanavets EV, Rogovina EG.

State of the peripheral nervous system in patients with hypothalamic insufficiency.

Neurosci Behav Physiol. 1996 Sep-Dec;26(5):482-8.

PMID: 9000222

596: Schneider B, Richter GM, Roeren T, Kauffmann GW.

[CT-guided neurolysis. Status of the technique and current results]

Radiologe. 1996 Sep;36(9):692-9. Review. German.

PMID: 8999444

597: Kao MC, Lin JY, Chen YL, Hsieh CS, Cheng LC, Huang SJ.

Minimally invasive surgery: video endoscopic thoracic sympathectomy for palmar hyperhidrosis.

Ann Acad Med Singapore. 1996 Sep;25(5):673-8.

PMID: 8924003

598: Nagai Y, Ishikawa O, Miyachi Y.

Multiple eccrine hidrocystomas associated with Graves' disease.

J Dermatol. 1996 Sep;23(9):652-4. Review.

PMID: 8916670

599: Nesathurai S, Harvey DT.

Clonidine in the management of asymmetrical gustatory facial sweating: an N-of-1 trial.

Arch Phys Med Rehabil. 1996 Sep;77(9):906-8.

PMID: 8822684

600: Gossot D.

Chylothorax after endoscopic thoracic sympathectomy.

Surg Endosc. 1996 Sep;10(9):949. No abstract available.

PMID: 8703162

601: Wang HJ, Cheng TY, Chen TM.

Surgical management of axillary bromhidrosis--a modified skoog procedure by an axillary bipedicle flap approach.

Plast Reconstr Surg. 1996 Sep;98(3):524-9.

PMID: 8700993

602: Noppen M, Vincken W.

Thoracoscopic sympathicotomy for essential hyperhidrosis: effects on pulmonary function.

Eur Respir J. 1996 Aug;9(8):1660-4.

PMID: 8866591

603: Lin CC, Mo LR.

Experience in thoracoscopic sympathectomy for hyperhidrosis with concomitant pleural adhesion.

Surg Laparosc Endosc. 1996 Aug;6(4):258-61.

PMID: 8840445

604: Chiou TS, Liao KK.

Orientation landmarks of endoscopic transaxillary T-2 sympathectomy for palmar hyperhidrosis.

J Neurosurg. 1996 Aug;85(2):310-5.

PMID: 8755761

605: Kopelman D, Hashmonai M, Ehrenreich M, Bahous H, Assalia A.

Upper dorsal thoracoscopic sympathectomy for palmar hyperhidrosis: improved intermediate-term results.

J Vasc Surg. 1996 Aug;24(2):194-9.

PMID: 8752028

606: Wu JJ, Hsu CC, Liao SY, Liu JC, Shih CJ.

Contralateral temperature changes of the finger surface during video endoscopic sympathectomy for palmar hyperhidrosis.

J Auton Nerv Syst. 1996 Jul 5;59(3):98-102.

PMID: 8832515

607: Bushara KO, Park DM, Jones JC, Schutta HS.

Botulinum toxin--a possible new treatment for axillary hyperhidrosis.

Clin Exp Dermatol. 1996 Jul;21(4):276-8.

PMID: 8959898

608: McEwen DR, Sanchez MM.

Complications associated with excision of a submandibular salivary gland tumor.

AORN J. 1996 Jul;64(1):109-11.

PMID: 8827336

609: Stroncek DF, Clay ME, Petzoldt ML, Smith J, Jaszcz W, Oldham FB, McCullough J.

Treatment of normal individuals with granulocyte-colony-stimulating factor: donor experiences and the effects on peripheral blood CD34+ cell counts and on the collection of peripheral blood stem cells.

Transfusion. 1996 Jul;36(7):601-10.

PMID: 8701455

610: Bonjer HJ, Hamming JF, du Bois NAJJ, van Urk H.

Advantages of limited thoracoscopic sympathectomy.

Surg Endosc. 1996 Jul;10(7):721-3.

PMID: 8662426

611: Noppen M, Herregodts P, D'Haese J, D'Haens J, Vincken W.

A simplified T2-T3 thoracoscopic sympathicolytic technique for the treatment of essential hyperhidrosis: short-term results in 100 patients.

J Laparoendosc Surg. 1996 Jun;6(3):151-9.

PMID: 8807515

612: Davies MJ, McNally PG, Hall AP.

Gustatory sweating associated with diabetes: a general anaesthetic gives clues to potential treatments.

Diabet Med. 1996 Jun;13(6):595-7. No abstract available.

PMID: 8799669

613: Schnider P, Binder M, Berger T, Auff E.

Botulinum A toxin injection in focal hyperhidrosis.

Br J Dermatol. 1996 Jun;134(6):1160-1. No abstract available.

PMID: 8763455

614: Mellor TK, Shaw RJ.

Frey's syndrome following fracture of the mandibular condyle: case report and literature review.

Injury. 1996 Jun;27(5):359-60. Review. No abstract available.

PMID: 8763295

615: Graham AN, Owens WA, McGuigan JA.

Assessment of outcome after thoracoscopic sympathectomy for hyperhidrosis in a specialized unit.

J R Coll Surg Edinb. 1996 Jun;41(3):160-3.

PMID: 8763178

616: Elliott TB, Royle JP.

Laparoscopic extraperitoneal lumbar sympathectomy: technique and early results.

Aust N Z J Surg. 1996 Jun;66(6):400-2.

PMID: 8678860

617: Atkin SL, Brown PM.

Treatment of diabetic gustatory sweating with topical glycopyrrolate cream.

Diabet Med. 1996 May;13(5):493-4.

PMID: 8737034

618: Rousseaux M, Hurtevent JF, Benaim C, Cassim F.

Late contralateral hyperhidrosis in lateral medullary infarcts.

Stroke. 1996 May;27(5):991-5.

PMID: 8623124

619: Lefaucheur JP, Fitoussi M, Becquemin JP.

Abolition of sympathetic skin responses following endoscopic thoracic sympathectomy.

Muscle Nerve. 1996 May;19(5):581-6.

PMID: 8618555

620: Moulton-Barrett R, Allison G, Rappaport I.

Variation's in the use of SMAS (superficial musculoaponeurotic system) to prevent Frey's syndrome after parotidectomy.

Int Surg. 1996 Apr-Jun;81(2):174-6.

PMID: 8912087

621: Rey A, Marti-Vilalta JL, Abellan MT.

[Contralateral hyperhidrosis secondary to the pontine infarct]

Rev Neurol. 1996 Apr;24(128):459-60. Spanish.

PMID: 8721928

622: Wilkinson HA.

Percutaneous radiofrequency upper thoracic sympathectomy.

Neurosurgery. 1996 Apr;38(4):715-25.

PMID: 8692390

623: Urschel HC Jr.

The transaxillary approach for treatment of thoracic outlet syndromes.  
Semin Thorac Cardiovasc Surg. 1996 Apr;8(2):214-20.  
PMID: 8672576

624: Josephs LG, Menzoian JO.

Technical considerations in endoscopic cervicothoracic sympathectomy.  
Arch Surg. 1996 Apr;131(4):355-9.  
PMID: 8615718

625: Lieou FJ, Lee SC, Ho ST, Wang JJ.

Interpleural bupivacaine for pain relief after transthoracic endoscopic  
sympathectomy for primary hyperhidrosis.  
Acta Anaesthesiol Sin. 1996 Mar;34(1):21-5.  
PMID: 9084515

626: Sollitto RJ, Pizzano DM.

Bleomycin sulfate in the treatment of mosaic plantar verrucae: a follow-up study.  
J Foot Ankle Surg. 1996 Mar-Apr;35(2):169-72.  
PMID: 8722887

627: Sicherer SH, Sampson HA.

Auriculotemporal syndrome: a masquerader of food allergy.  
J Allergy Clin Immunol. 1996 Mar;97(3):851-2. No abstract available.  
PMID: 8613642

628: Lee KH, Hwang PY.

Video endoscopic sympathectomy for palmar hyperhidrosis.  
J Neurosurg. 1996 Mar;84(3):484-6.  
PMID: 8609562

629: Kopelman D, Hashmonai M.

Disadvantages of previous phenol blocks in thoracoscopic upper dorsal sympathectomy.

J Vasc Surg. 1996 Mar;23(3):539-40. No abstract available.

PMID: 8601903

630: Schulze-Bonhage A, Schroder M, Ferbert A.

Botulinum toxin in the therapy of gustatory sweating.

J Neurol. 1996 Feb;243(2):143-6.

PMID: 8750551

631: Singh B, Haffejee AA, Moodley J, Naidu AG, Rajaruthnam P.

Endoscopic transthoracoscopic sympathectomy--the Durban experience.

S Afr J Surg. 1996 Feb;34(1):11-4, 16; discussion 16, 18.

PMID: 8629183

632: Jansen T, Plewig G, Holzle E.

[Allergic contact dermatitis due to propantheline bromide]

Dtsch Med Wochenschr. 1996 Jan 5;121(1-2):41-2. German. No abstract available.

PMID: 8565805

633: Klarer S.

[A case from practice (339). Exhaustion, collapse of obscure etiology--most likely of psychosomatic origin and/or alcohol-induced]

Schweiz Rundsch Med Prax. 1996 Jan 3;85(1-2):30-1. German. No abstract available.

PMID: 8571025

634: Wazieres BD, Bartholomot B, Fest T, Combes J, Kastler B, Dupond JL.

[Percutaneous thoracic sympathectomy under x-ray computed tomographic control in hyperhidrosis and refractory ischemia. Apropos of 17 cases]

Ann Med Interne (Paris). 1996;147(5):299-303. French.

PMID: 9033730

635: Wattanasirichaigoon S, Katkhouda N, Ngaorungsri U.

Totally extraperitoneal laparoscopic lumbar sympathectomy: an initial case report.

J Med Assoc Thai. 1996 Jan;79(1):49-54.

PMID: 8867403

636: Noppen M, Vincken W, Dhaese J, Herregodts P, D'haens J.

Thoracoscopic sympathicolysis for essential hyperhidrosis: immediate and one year follow-up results in 35 patients and review of the literature.

Acta Clin Belg. 1996;51(4):244-53. Review.

PMID: 8858890

637: Ekblom A, Lind G, Meyerson BA, Lengstam I, Wahlgren CF.

Sympathectomy does not influence experimental itch and cutaneous temperature perception thresholds.

Somatosens Mot Res. 1996;13(2):147-52.

PMID: 8844963

638: Pedowitz WJ.

The malodorous foot.

Foot Ankle Int. 1996 Jan;17(1):54-5. No abstract available.

PMID: 8821290

639: Heid E, Samain F, Jelen G, Boivin S.

[Granulosis rubra nasi and pheochromocytoma]

Ann Dermatol Venereol. 1996;123(2):106-8. French.

PMID: 8761763

640: Anikin V, Graham A, MacGuigan D.

[Thoracoscopic sympathectomy in the surgical treatment of axillary and palmar hyperhidrosis]

Khirurgiia (Mosk). 1996;(1):63-5. Russian.

PMID: 8683926

641: Nuesch B, Ammann J, Hess P, Ludin A.

[Thoracic sympathectomy in palmar hyperhidrosis: comparison of open with thorascopic procedure]

Swiss Surg. 1996;(3):112-5. German.

PMID: 8681114

642: Yilmaz EN, Dur AH, Cuesta MA, Rauwerda JA.

Endoscopic versus transaxillary thoracic sympathectomy for primary axillary and palmar hyperhidrosis and/or facial blushing: 5-year-experience.

Eur J Cardiothorac Surg. 1996;10(3):168-72.

PMID: 8664016

643: Weinberg S, Kryshchalskyj B.

Analysis of facial and trigeminal nerve function after arthroscopic surgery of the temporomandibular joint.

J Oral Maxillofac Surg. 1996 Jan;54(1):40-3; discussion 43-4.

PMID: 8530998

644: Dammers S, Zeit T, Leonhardt M, Schar V, Agelink MW.

[The neuroleptic malignant syndrome]

Dtsch Med Wochenschr. 1995 Dec 15;120(50):1739-42. Review. German.

PMID: 8542810

645: Gossot D.

[Selective endoscopic sympathectomy for palmar hyperhidrosis]

Presse Med. 1995 Dec 2;24(37):1739-42. French.

PMID: 8545414

646: Kempermann G, Hemmer B, Lucking CH.

[A case of gustatory sweating and facial pain]

Nervenarzt. 1995 Dec;66(12):923-6. German.

PMID: 8584077

647: Born G.

Surgical treatment of axillary osmidrosis.

Plast Reconstr Surg. 1995 Dec;96(7):1753. No abstract available.

PMID: 7480315

648: Leseche G, Nicolet J, Andreassian B.

[Treatment of primary hyperhidrosis of the upper limbs by transthoracic endoscopic sympathectomy]

Presse Med. 1995 Nov 4;24(33):1569-73. Review. French.

PMID: 8539218

649: Celoria G, Falco E, Nardini A, Franceschini L, Rezac C, Saccomano G, De Franchi G, Mura A.

[Frey's syndrome: physiopathology and medical therapy]

Minerva Chir. 1995 Nov;50(11):1025-7. Italian.

PMID: 8710145

650: Zirbel GM, Ruttum MS, Post AC, Esterly NB.

Odonto-onycho-dermal dysplasia.

Br J Dermatol. 1995 Nov;133(5):797-800.

PMID: 8555039

651: Drobik C, Laskawi R, Schwab S.

[Therapy of Frey syndrome with botulinum toxin A. Experiences with a new method of treatment]

HNO. 1995 Nov;43(11):644-8. German.

PMID: 8530311

652: Thumfart W.

[Botulinus toxin therapy]

HNO. 1995 Nov;43(11):639-40. German. No abstract available.

PMID: 8530308

653: Juul A, Hjortskov N, Jepsen LT, Nielsen B, Halkjaer-Kristensen J, Vahl N, Jorgensen JO, Christiansen JS, Skakkebaek NE.

Growth hormone deficiency and hyperthermia during exercise: a controlled study of sixteen GH-deficient patients.

J Clin Endocrinol Metab. 1995 Nov;80(11):3335-40.

PMID: 7593447

654: Shemen LJ.

Expanded polytef for reconstructing postparotidectomy defects and preventing Frey's syndrome.

Arch Otolaryngol Head Neck Surg. 1995 Nov;121(11):1307-9.

PMID: 7576480

655: Kao MC.

Transthoracic endoscopic sympathectomy in the treatment of palmar hyperhidrosis.

Arch Surg. 1995 Nov;130(11):1244. No abstract available.

PMID: 7487471

656: Stauble R.

[A case from practice (334). Hyperhidrosis of 1 1/2 year duration, probably postmenopausal. Arterial hypertension for years. Obesity]

Schweiz Rundsch Med Prax. 1995 Oct 10;84(41):1167-8. German. No abstract available.

PMID: 7481328

657: Koskinen LO, Algiers G.

[Misleading information about patients with palmar sweating]

Lakartidningen. 1995 Oct 4;92(40):3661. Swedish. No abstract available.

PMID: 7564608

658: Yamamoto K, Sobue G, Iwase S, Mano T, Mitsuma T.

[Relations between autonomic dysfunction and skin sympathetic nerve activity in Guillain-Barre syndrome: a microneurographical assessment]

Rinsho Shinkeigaku. 1995 Oct;35(10):1098-103. Japanese.

PMID: 8821492

659: Schiffter R.

Telodiencephalic ischemic syndrome (infarct)

Stroke. 1995 Oct;26(10):1964-6. No abstract available.

PMID: 7570762

660: Reilly DT.

Thoracoscopic sympathectomy.

Eur J Vasc Endovasc Surg. 1995 Oct;10(3):384-5. No abstract available.

PMID: 7552547

661: Noppen M, Herregodts P, Dendale P, D'Haens J, Vincken W.

Cardiopulmonary exercise testing following bilateral thoracoscopic sympathicolysis in patients with essential hyperhidrosis.

Thorax. 1995 Oct;50(10):1097-100.

PMID: 7491560

662: Kihara M, Takahashi M.

[Autonomic nervous system disease--sweat disorders]

Nippon Naika Gakkai Zasshi. 1995 Sep 10;84(9):1435-7. Review. Japanese. No abstract available.

PMID: 8537745

663: Labib M, Obeid D.

Hyperhidrosis and iron deficiency.

Ann Clin Biochem. 1995 Sep;32 ( Pt 5):509-10. No abstract available.

PMID: 8830629

664: Nakaso K, Nakayasu H, Isoe K, Nakashima K, Takahashi K.

[A case of dissecting aneurysm of the basilar artery presented as superior pons type of Foville's syndrome]

Rinsho Shinkeigaku. 1995 Sep;35(9):1040-3. Japanese.  
PMID: 8565344

665: Kloos RT.

Spontaneous periodic hypothermia.  
Medicine (Baltimore). 1995 Sep;74(5):268-80. Review.  
PMID: 7565067

666: Lin TK, Chee EC, Chen HJ, Cheng MH.

Abnormal sympathetic skin response in patients with palmar hyperhidrosis.  
Muscle Nerve. 1995 Aug;18(8):917-9. No abstract available.  
PMID: 7630357

667: Reinauer S, Neusser A, Schauf G, Holzle E.

[Pulsed direct current iontophoresis as a possible new treatment for hyperhidrosis]  
Hautarzt. 1995 Aug;46(8):543-7. German.  
PMID: 7558823

668: Cohen MM Jr, Kreiborg S. Related Articles, OMIM

Cutaneous manifestations of Apert syndrome.  
Am J Med Genet. 1995 Jul 31;58(1):94-6. No abstract available.  
PMID: 7573165

669: Drott C, Gothberg G, Claes G.

Endoscopic transthoracic sympathectomy: an efficient and safe method for the  
treatment of hyperhidrosis.  
J Am Acad Dermatol. 1995 Jul;33(1):78-81.  
PMID: 7601951

670: Dhaif G, Kuriakose S, Sleeman D, Brady F.

Frey's syndrome after fracture of the mandibular condyle.

Oral Surg Oral Med Oral Pathol Oral Radiol Endod. 1995 Jul;80(1):2. No abstract available.

PMID: 7552854

671: Liaw WJ, Day YJ, Wang JJ, Ho ST.

Intravenous tenoxicam reduces dose and side effects of PCA morphine in patients after thoracic endoscopic sympathectomy.

Acta Anaesthesiol Sin. 1995 Jun;33(2):73-7.

PMID: 7663867

672: Day YB, Lee CG, Tseng CC, Chiang MH, Chang CL.

[Changes of arterial oxygen tension in supine position during one-lung anesthesia]

Acta Anaesthesiol Sin. 1995 Jun;33(2):113-8. Chinese.

PMID: 7663862

673: Yamamoto T, Katayama I, Nishioka K.

Coexistence of subepidermal calcified nodule and keratosis punctata in a patient with hyperhidrosis.

J Dermatol. 1995 Jun;22(6):458-60.

PMID: 7650247

674: Jansen T, Brandl G, Bandmann M, Meurer M.

[Pachydermoperiostosis]

Hautarzt. 1995 Jun;46(6):429-35. German.

PMID: 7642389

675: Hedman A.

[Hand perspiration was his death. The cause was sympathetic imbalance]  
Lakartidningen. 1995 May 31;92(22):2310-2. Swedish. No abstract available.  
PMID: 7783492

676: Kim BS, Kim YI, Lee KS.

Contralateral hyperhidrosis after cerebral infarction. Clinicoanatomic correlations in five cases.

Stroke. 1995 May;26(5):896-9.

PMID: 7740586

677: Orteu CH, McGregor JM, Almeyda JR, Rustin MH.

Recurrence of hyperhidrosis after endoscopic transthoracic sympathectomy--case report and review of the literature.

Clin Exp Dermatol. 1995 May;20(3):230-3. Review. No abstract available.

PMID: 7671419

678: Canaday BR, Stanford RH.

Propranolol in the management of hyperhidrosis associated with spinal cord injury.

Ann Pharmacother. 1995 May;29(5):489-92. Review.

PMID: 7655132

679: Drobik C, Laskawi R.

Frey's syndrome: treatment with botulinum toxin.

Acta Otolaryngol. 1995 May;115(3):459-61.

PMID: 7653272

680: Drummond PD.

Mechanisms of physiological gustatory sweating and flushing in the face.

J Auton Nerv Syst. 1995 Apr 8;52(2-3):117-24.

PMID: 7615894

681: Attah Johnson FY, Mostaghimi H.

Co-morbidity between dermatologic diseases and psychiatric disorders in Papua New Guinea.

Int J Dermatol. 1995 Apr;34(4):244-8.

PMID: 7790138

682: Bassetti C, Staikov IN.

Hemiplegia vegetativa alterna (ipsilateral Horner's syndrome and contralateral hemihyperhidrosis) following proximal posterior cerebral artery occlusion.

Stroke. 1995 Apr;26(4):702-4.

PMID: 7709421

683: Mouroux J, Bernard JL, Hassen Kodja R, Batt M, Lebas P, Richelme H.

[Palmar hyperhidrosis and arteritis of the finger: value of sympathectomy and videothoracoscopy]

J Chir (Paris). 1995 Apr;132(4):222-3. French. No abstract available.

PMID: 7635902

684: Johnson IJ, Birchall JP.

Bilateral auriculotemporal syndrome in childhood.

Int J Pediatr Otorhinolaryngol. 1995 Apr;32(1):83-6. Review.

PMID: 7607824

685: Noppen M, Dendale P, Hagers Y.

Thoracoscopic sympathectomy.

Lancet. 1995 Mar 25;345(8952):803-4. No abstract available.

PMID: 7891518

686: Wong RY, Fung ST, Jawan B, Chen HJ, Lee JH.

Use of a single lumen endotracheal tube and continuous CO2 insufflation in transthoracic endoscopic sympathectomy.

Acta Anaesthesiol Sin. 1995 Mar;33(1):21-6.

PMID: 7788194

687: Cohen Z, Shinar D, Levi I, Mares AJ.

Thoracoscopic upper thoracic sympathectomy for primary palmar hyperhidrosis in children and adolescents.

J Pediatr Surg. 1995 Mar;30(3):471-3.

PMID: 7760245

688: Vaamonde Gamo J, Rodriguez Alvarez S, Marquez Moreno MD.

[Paroxysmal segmental unilateral vasomotor disorder]

Neurologia. 1995 Mar;10(3):153-4. Spanish. No abstract available.

PMID: 7756019

689: Sultan MR, Wider TM, Hugo NE.

Frey's syndrome: prevention with temporoparietal fascial flap interposition.

Ann Plast Surg. 1995 Mar;34(3):292-6; discussion 296-7.

PMID: 7598387

690: Laederach-Hofmann K.

[Night sweats: observation on a not unusual phenomenon]

Schweiz Rundsch Med Prax. 1995 Feb 14;84(7):204-8. Review. German.

PMID: 7871308

691: Kopelman D, Assalia A, Hashmonai M.

Video-assisted thoracoscopic T2 sympathectomy for hyperhidrosis palmaris.

J Am Coll Surg. 1995 Feb;180(2):253-4. No abstract available.

PMID: 7850067

692: Olsfanger D, Jedeikin R, Fredman B, Shachor D.

Tracheal anaesthesia for transthoracic endoscopic sympathectomy: an alternative to endobronchial anaesthesia.

Br J Anaesth. 1995 Feb;74(2):141-4.

PMID: 7696060

693: Chen HJ, Cheng MH, Lin TK, Chee EC.

Recordings of pre- and postoperative sympathetic skin response in patients with palmar hyperhidrosis.

Stereotact Funct Neurosurg. 1995;64(4):214-20.

PMID: 8817808

694: Levy I, Ariche A, Sebbag G, Khodda J.

[Upper thoracic sympathectomy by thoracoscopic approach. A method of choice for the treatment of palmar hyperhidrosis]

Ann Chir. 1995;49(9):858-62. Review. French.

PMID: 8554286

695: Oknin Vlu, Sadekov RA.

[The use of the Drionic apparatus for treating essential hyperhidrosis]  
Zh Nevropatol Psikhiatr Im S S Korsakova. 1995;95(4):75-7. Russian.  
PMID: 8533516

696: Filatova EG, Solov'eva AD, Kanavets EV, Rogovina EG.

[Peripheral autonomic nervous system function in patients with hypothalamic insufficiency]  
Zh Nevropatol Psikhiatr Im S S Korsakova. 1995;95(4):14-20. Russian.  
PMID: 8533499

697: Schmutz JL, Houet C, Trechot P, Barbaud A, Gillet-Terver MN.

Sweating and beta-adrenoceptor antagonists.  
Dermatology. 1995;190(1):86. No abstract available.  
PMID: 7894107

698: Diaz-Barreiros M, Carretero G, Hernandez-Gallego J.

[Compensatory hyperhidrosis on one side in a patient with Ross syndrome]  
Neurologia. 1995 Jan;10(1):53-5. Spanish.  
PMID: 7893514

699: Feder R.

Clonidine treatment of excessive sweating.  
J Clin Psychiatry. 1995 Jan;56(1):35. No abstract available.  
PMID: 7836338

700: Nesathurai S, Harvey DT, Schatz SW.

Gustatory facial sweating subsequent to upper thoracic sympathectomy.  
Arch Phys Med Rehabil. 1995 Jan;76(1):104-7.  
PMID: 7811168

701: Cameron A.

Endoscopic transthoracic sympathectomy: successful in hyperhidrosis but can the indications be extended?

Ann R Coll Surg Engl. 1995 Jan;77(1):70. No abstract available.

PMID: 7772180

702: Bianchi L, Lubrano C, Carrozzo AM, Iraci S, Tomassoli M, Spera G, Nini G.

Pachydermoperiostosis: study of epidermal growth factor and steroid receptors.

Br J Dermatol. 1995 Jan;132(1):128-33.

PMID: 7756124

703: Ejaz AA, Zabaneh RI, Popli SS, Ing TS, Leehey DJ.

Gustatory sweating in a diabetic end-stage renal disease patient maintained on hemodialysis.

Nephron. 1995;69(3):337. No abstract available.

PMID: 7753271

704: Amoric JC, Grosieux C, Litoux P, Stalder JF.

[A case for diagnosis: Frey syndrome]

Ann Dermatol Venereol. 1995;122(1-2):41-2. French. No abstract available.

PMID: 7668780

705: Stovner LJ, Sjaastad O.

Segmental hyperhidrosis in two siblings with Chiari type I malformation.

Eur Neurol. 1995;35(3):149-55.

PMID: 7628494

706: Singh GR, Menon PS.

Pachydermoperiostosis in a 13 year-old boy presenting as an acromegaly-like syndrome.

J Pediatr Endocrinol Metab. 1995 Jan-Mar;8(1):51-4.

PMID: 7584698

707: Shaari CM, Scherl MP.

Nasal obstruction and Horner's syndrome.

Otolaryngol Head Neck Surg. 1994 Dec;111(6):838-40. Review. No abstract available.

PMID: 7991269

708: Feng E.

Radix bupleuri added to the os draconis and concha ostreae decoction in the treatment of neuropsychopathies--a report of 4 cases.

J Tradit Chin Med. 1994 Dec;14(4):243-6. No abstract available.

PMID: 7877330

709: Cohen Z, Kurzbart E, Charuzi I, Levy I, Mares AJ.

[Laparoscopic and thoracoscopic surgery in children and adolescents]

Harefuah. 1994 Dec 1;127(11):436-8, 504. Hebrew.

PMID: 7806099

710: Calderone DC, Glass LF, Seleznick M, Fenske NA.

Eccrine angiomatous hamartoma.

J Dermatol Surg Oncol. 1994 Dec;20(12):837-8. Review.

PMID: 7798419

711: Thumshirn M, Berger W.

[A case from practice (311). Sensorimotor polyneuropathy and autonomous neuropathy with increased sweating in insulin-dependent diabetes mellitus II--diabetic retinopathy, nephropathy and microangiopathy]

Schweiz Rundsch Med Prax. 1994 Nov 8;83(45):1272-3. German. No abstract available.

PMID: 7973288

712: Wang L, Hilliges M, Gajecki M, Marcusson JA, Johansson O.

No change in skin innervation in patients with palmar hyperhidrosis treated with tap-water iontophoresis.

Br J Dermatol. 1994 Nov;131(5):742-3. No abstract available.

PMID: 7999626

713: Kerassidis S.

Is palmar and plantar sweating thermoregulatory?

Acta Physiol Scand. 1994 Nov;152(3):259-63.

PMID: 7872003

714: Schauf G, Hubert M, Reinauer S, Holze E.

[Modification and optimization of tap water iontophoresis]

Hautarzt. 1994 Nov;45(11):756-61. German.

PMID: 7822199

715: Querol Nasarre I, Jarauta Salvador F, Alberdi Ibanez I, Cisneros Lanuza T, Exposito Rando A.

[Paroxysmal unilateral hyperhidrosis]

Neurologia. 1994 Nov;9(9):419-22. Spanish.

PMID: 7811495

716: Sortini A, Mascoli F, Navarra G, Occhionorelli S, Santini M, Pozza E, Donini I.

[Thoracic lymphadenectomy in video-assisted mini-invasive thoracic surgery. First experience]

G Chir. 1994 Nov-Dec;15(11-12):511-3. Italian.

PMID: 7727217

717: Zhao K, Qi DY, Wang LM.

Functional superficial parotidectomy.

J Oral Maxillofac Surg. 1994 Oct;52(10):1038-41.

PMID: 8089788

718: Ahn SS, Machleder HI, Concepcion B, Moore WS.

Thoracoscopic cervicodorsal sympathectomy: preliminary results.

J Vasc Surg. 1994 Oct;20(4):511-7; discussion 517-9.

PMID: 7933252

719: Arroyo HA, Di Blasi M, Fejerman N.

Episodic spontaneous hypothermia with hyperhidrosis.

Pediatr Neurol. 1994 Oct;11(3):266. No abstract available.

PMID: 7880345

720: Burke M.

Practice tip. Wedge resection of axillary sweat glands.

Aust Fam Physician. 1994 Oct;23(10):2007. No abstract available.

PMID: 7818408

721: Thomas J, Pillay P, Mack P, Ooi LL, Nachiappan M.

Video-assisted endoscopic thoracic sympathectomy in the management of intractable palmar hyperhidrosis.

Singapore Med J. 1994 Oct;35(5):460-3.

PMID: 7701362

722: Reinauer S, Goerz G, Holzle E, Heusgen F, Dinter W, Tarnow J, Ruzicka T.

[Distal edema and hyperhidrosis of the arm. Symptoms of reflex sympathetic dystrophy (Sudeck's disease)]

Hautarzt. 1994 Oct;45(10):696-701. German.

PMID: 7528186

723: Huber A, Schmid S, Fisch U.

[Pleomorphic adenoma of the parotid gland. Results of surgical treatment]

HNO. 1994 Sep;42(9):553-8. German.

PMID: 7989227

724: Nicholson ML, Dennis MJ, Hopkinson BR.

Endoscopic transthoracic sympathectomy: successful in hyperhidrosis but can the indications be extended?

Ann R Coll Surg Engl. 1994 Sep;76(5):311-4.

PMID: 7979070

725: Carter R.

Uriah Heep syndrome.

World J Surg. 1994 Sep-Oct;18(5):790-1. No abstract available.

PMID: 7975702

726: Sayers RD, Jenner RE, Barrie WW.

Transthoracic endoscopic sympathectomy for hyperhidrosis and Raynaud's phenomenon.

Eur J Vasc Surg. 1994 Sep;8(5):627-31.

PMID: 7813733

727: Maier C, Baron R, Loose R, Schroder D.

[Endoscopic transthoracic sympathectomy in a paraneoplastic Raynaud's syndrome]

Dtsch Med Wochenschr. 1994 Aug 26;119(34-35):1162-6. Review. German.

PMID: 8076504

728: Wu WH, Ma S, Lin JT, Tang YW, Fang RH, Yeh FL.

Surgical treatment of axillary osmidrosis: an analysis of 343 cases.

Plast Reconstr Surg. 1994 Aug;94(2):288-94.

PMID: 8041819

729: Bonanno PC.

Re: Dermis-fat graft after parotidectomy to prevent 'Frey's syndrome and the concave deformity'.

Ann Plast Surg. 1994 Aug;33(2):235. No abstract available.

PMID: 7979064

730: Cheng WC, Chang CN, Lin TK.

Chylothorax after endoscopic sympathectomy: case report.

Neurosurgery. 1994 Aug;35(2):330-2; discussion 332.

PMID: 7969846

731: Kobayashi K, Omote K, Homma E, Abe T, Itoyo M.

Sympathetic ganglion blockade for the management of hyperhidrosis.

J Dermatol. 1994 Aug;21(8):575-81.

PMID: 7962955

732: Flora G.

[Thoracoscopic sympathectomy]

Chirurg. 1994 Aug;65(8):677-9. German.

PMID: 7956532

733: Timosca GC.

Sternocleidomastoid muscle flaps following parotidectomy.

Br J Oral Maxillofac Surg. 1994 Aug;32(4):262. No abstract available.

PMID: 7947573

734: Herbst F, Plas EG, Fugger R, Fritsch A.

Endoscopic thoracic sympathectomy for primary hyperhidrosis of the upper limbs.

A critical analysis and long-term results of 480 operations.

Ann Surg. 1994 Jul;220(1):86-90.

PMID: 8024363

735: Hsu CP, Chen CY, Lin CT, Wang JH, Chen CL, Wang PY.

Video-assisted thoracoscopic T2 sympathectomy for hyperhidrosis palmaris.

J Am Coll Surg. 1994 Jul;179(1):59-64.

PMID: 8019726

736: Chen HJ, Shih DY, Fung ST.

Transthoracic endoscopic sympathectomy in the treatment of palmar hyperhidrosis.

Arch Surg. 1994 Jun;129(6):630-3.

PMID: 8204038

737: Glasauer FE, Czynny JJ.

Hyperhidrosis as the presenting symptom in post-traumatic syringomyelia.  
Paraplegia. 1994 Jun;32(6):423-9.  
PMID: 8090551

738: Yamauchi Y, Kobayashi T, Nagaro T, Yamamoto H, Kimura S, Arai T.

[A case of hemifacial hyperhidrosis on the opposite side of the pancoast tumor]  
Masui. 1994 Jun;43(6):924-6. Japanese.  
PMID: 8072155

739: Masson C, Krespi Y.

[POEMS syndrome]  
Presse Med. 1994 Apr 9;23(14):646-8. Review. French.  
PMID: 8072960

740: Haddock A, Porter SR, Scully C, Smith I.

Submandibular gustatory sweating.  
Oral Surg Oral Med Oral Pathol. 1994 Apr;77(4):317. No abstract available.  
PMID: 8015791

741: Nachbar F, Blecher P, Ruzicka T.

[Hyperhidrosis]  
Dtsch Med Wochenschr. 1994 Mar 4;119(9):321-2. German. No abstract available.  
PMID: 8119114

742: Kao MC, Lee WY, Yip KM, Hsiao YY, Lee YS, Tsai JC.

Palmar hyperhidrosis in children: treatment with video endoscopic laser  
sympathectomy.  
J Pediatr Surg. 1994 Mar;29(3):387-91.  
PMID: 8201504

743: Mares AJ, Steiner Z, Cohen Z, Finaly R, Freud E, Mordehai J.

Transaxillary upper thoracic sympathectomy for primary palmar hyperhidrosis in children and adolescents.

J Pediatr Surg. 1994 Mar;29(3):382-6.

PMID: 8201503

744: Ho CS, Huang CL.

[Comparison of double-lumen endobronchial versus single-lumen endotracheal tube anesthesia in bilateral thoracoscopic sympathectomy]

Acta Anaesthesiol Sin. 1994 Mar;32(1):7-12. Chinese.

PMID: 8199816

745: Chen YP, Ting MC, Hwang YS, Chow TC, Lin JC.

Experience of anesthesia for transthoracic endoscopic sympathectomy in palmar hyperhidrosis--110 cases.

Acta Anaesthesiol Sin. 1994 Mar;32(1):57-60. Review.

PMID: 8199812

746: Hsieh YJ, Chen CM, Lin HY, Young TF.

[Experience of anesthesia during transthoracic endoscopic sympathectomy for palmar hyperhidrosis: comparison between double-lumen endobronchial tube ventilation and laryngeal mask ventilation]

Acta Anaesthesiol Sin. 1994 Mar;32(1):13-20. Japanese.

PMID: 8199807

747: Ho CS, Kao MC.

[Alternative one lung ventilation anesthesia for bilateral thoracoscopic sympathectomy]

Acta Anaesthesiol Sin. 1994 Mar;32(1):1-6. Chinese.

PMID: 8199806

748: Gordon A, Zechmeister K, Collin J.

The role of sympathectomy in current surgical practice.

Eur J Vasc Surg. 1994 Mar;8(2):129-37. Review.

PMID: 8181604

749: Shachor D, Jedeikin R, Olsfanger D, Bendahan J, Sivak G, Freund U.

Endoscopic transthoracic sympathectomy in the treatment of primary hyperhidrosis. A review of 290 sympathectomies.

Arch Surg. 1994 Mar;129(3):241-4.

PMID: 8129596

750: Millar AJ, Steiner Z, Rode H, Cywes S.

Trans-axillary transpleural sympathectomy for Palmar hyperhidrosis in children--a 3 to 7 year follow-up of 9 cases.

Eur J Pediatr Surg. 1994 Feb;4(1):3-6.

PMID: 8199129

751: Sheth RD, Barron TF, Hartlage PL.

Episodic spontaneous hypothermia with hyperhidrosis: implications for pathogenesis.

Pediatr Neurol. 1994 Feb;10(1):58-60. Review.

PMID: 8198674

752: Kao MC, Tsai JC, Lai DM, Hsiao YY, Lee YS, Chiu MJ.

Autonomic activities in hyperhidrosis patients before, during, and after endoscopic laser sympathectomy.

Neurosurgery. 1994 Feb;34(2):262-8; discussion 268.

PMID: 8177387

753: Wagner J, Zwicker B.

[Electrocardiographic and hemodynamic adverse effects of contrast media in coronary angiography]

Z Kardiol. 1994 Feb;83(2):146-54. German.

PMID: 8165845

754: Mealey BL.

Bilateral gustatory sweating as a sign of diabetic neuropathy.

Oral Surg Oral Med Oral Pathol. 1994 Feb;77(2):113-5.

PMID: 8139825

755: Barnes RW.

Sympathectomy: quo vadis?

Cardiovasc Surg. 1994 Feb;2(1):9-15. Review.

PMID: 8049934

756: Claes G, Drott C.

Hyperhidrosis.

Lancet. 1994 Jan 29;343(8892):247-8. No abstract available.

PMID: 7905089

757: Veldman PH, Jacobs PB.

Reflex sympathetic dystrophy of the head: case report and discussion of diagnostic criteria.

J Trauma. 1994 Jan;36(1):119-21.

PMID: 8295237

758: Rosenblum JA, Cohen JM, Lee M.

Hyperhidrosis--a case history.

Angiology. 1994 Jan;45(1):61-4.

PMID: 8285386

759: Kao MC, Chern SH, Cheng LC, Hsiao YY, Lee YS, Tsai JC.

Video thoracoscopic laser sympathectomy for palmar hyperhidrosis.

Ann Acad Med Singapore. 1994 Jan;23(1):38-42.

PMID: 8185269

760: De Amesti C, Orus C, Jurgens A, Fuentes CG, Burgues J.

[Gustatory sweating syndrome or Frey's syndrome: a revision]

An Otorrinolaringol Ibero Am. 1994;21(1):65-76. Spanish. No abstract available.

PMID: 8166380

761: Serratrice G, Azulay JP.

[What is left of Morvan's fibrillary chorea?]

Rev Neurol (Paris). 1994;150(4):257-65. Review. French.

PMID: 7863176

762: Martynov IuS, Lebedeva LA, Kazeev KN, Shpazhnikova TI, Malkova EV,  
Shuvakhina NA, Proskurin VV.

[The neurological aspects of chromaffinoma]

Zh Nevropatol Psikhiatr Im S S Korsakova. 1994;94(4):33-6. Russian.

PMID: 7856373

763: Laccourreya O, Bernard D, de Lachariere O, Bazin R, Jouffre V, Brasnu D.

[Contribution of L lactate and amino-acid enzymatic biosensors for the analysis of  
Frey syndrome]

Ann Otolaryngol Chir Cervicofac. 1994;111(6):347-52. Review. French.  
PMID: 7785935

764: Pillay PK, Thomas J, Mack P.

Thoracoscopic ganglionectomy for hyperhidrosis.  
Stereotact Funct Neurosurg. 1994;63(1-4):198-202.  
PMID: 7624635

765: Singh P, Maibach HI.

Iontophoresis in drug delivery: basic principles and applications.  
Crit Rev Ther Drug Carrier Syst. 1994;11(2-3):161-213. Review.  
PMID: 7600587

766: Adar R.

Surgical treatment of palmar hyperhidrosis before thoracoscopy: experience with  
475 patients.  
Eur J Surg Suppl. 1994;(572):9-11.  
PMID: 7524790

767: Drott C, Claes G, Gothberg G, Paszkowski P.

Cardiac effects of endoscopic electrocautery of the upper thoracic sympathetic  
chain.  
Eur J Surg Suppl. 1994;(572):65-70.  
PMID: 7524789

768: Gothberg G, Drott C, Claes G.

Thoracoscopic sympathicotomy for hyperhidrosis--surgical technique,  
complications and side effects.

Eur J Surg Suppl. 1994;(572):51-3.

PMID: 7524785

769: Drott C.

The history of cervicothoracic sympathectomy.

Eur J Surg Suppl. 1994;(572):5-7.

PMID: 7524784

770: Liljestrand KE.

The punch and purse-string suture technique.

Eur J Surg Suppl. 1994;(572):47-50.

PMID: 7524783

771: Lin CC, Mo LR, Hwang MH.

Intraoperative cardiac arrest: a rare complication of T2,3-sympathectomy for treatment of hyperhidrosis palmaris. Two case reports.

Eur J Surg Suppl. 1994;(572):43-5.

PMID: 7524782

772: Asking B, Svartholm E.

Degeneration activity: a transient effect following sympathectomy for hyperhidrosis.

Eur J Surg Suppl. 1994;(572):41-2.

PMID: 7524781

773: Harlid R.

Total intravenous anaesthesia with single-lumen endotracheal intubation for thoracoscopic sympathectomy.

Eur J Surg Suppl. 1994;(572):37-9.

PMID: 7524780

774: Hartrey R, Poskitt KR, Heather BP, Durkin MA.

Anaesthetic implications for transthoracic endoscopic sympathectomy.

Eur J Surg Suppl. 1994;(572):33-6.

PMID: 7524779

775: Lee LS, Ng SM, Lin CC.

Single-lumen endotracheal intubated anaesthesia for thoracoscopic sympathectomy--experience of 719 cases.

Eur J Surg Suppl. 1994;(572):27-31.

PMID: 7524778

776: Jedeikin R, Olsfanger D, Shachor D.

Intraoperative anaesthetic management of hypoxaemia during transthoracic endoscopic sympathectomy.

Eur J Surg Suppl. 1994;(572):23-5.

PMID: 7524777

777: Svartholm E, Asking B.

Thoracoscopic surgery of palmar hyperhidrosis.

Eur J Surg Suppl. 1994;(572):21.

PMID: 7524776

778: Hederman WP.

Present and future trends in thoracoscopic sympathectomy.

Eur J Surg Suppl. 1994;(572):17-9. No abstract available.

PMID: 7524775

779: Hashmonai M, Kopelman D, Schein M.

Thoracoscopic versus open supraclavicular upper dorsal sympathectomy: a prospective randomised trial.

Eur J Surg Suppl. 1994;(572):13-6.

PMID: 7524774

780: Lamminger C, Petzoldt D.

[Palmoplantar hyperhidrosis]

Dtsch Med Wochenschr. 1993 Dec 23;118(51-52):1910. German. No abstract available.

PMID: 8287784

781: Lieou FJ, Wang JJ, Liu MY, Ho ST.

[Total intravenous anesthesia with O2 mask in transthoracic endoscopic sympathectomy for palmar hyperhidrosis]

Zhonghua Yi Xue Za Zhi (Taipei). 1993 Dec;52(6):398-402. Chinese.

PMID: 8299042

782: Dunic M, Vukovic J, Cvitkovic M, Medica I. Related Articles, OMIM

Twins and their mildly affected mother with Weaver syndrome.

Clin Genet. 1993 Dec;44(6):338-40.

PMID: 8131308

783: Tosti A, Baran R, Peluso AM, Fanti PA, Liguori R.

Reflex sympathetic dystrophy with prominent involvement of the nail apparatus.

J Am Acad Dermatol. 1993 Nov;29(5 Pt 2):865-8.

PMID: 8408829

784: Sato K, Timm DE, Sato F, Templeton EA, Meletiou DS, Toyomoto T, Soos G, Sato SK.

Generation and transit pathway of H<sup>+</sup> is critical for inhibition of palmar sweating by iontophoresis in water.

J Appl Physiol. 1993 Nov;75(5):2258-64.

PMID: 8307885

785: Kaji M, Shoji H.

[Myokymia]

Nippon Rinsho. 1993 Nov;51(11):2866-70. Review. Japanese.

PMID: 8277563

786: Tay YK, Tham SN, Tey BH, Koay LH.

Pachydermoperiostosis (idiopathic hypertrophic osteoarthropathy)--a case report and review.

Ann Acad Med Singapore. 1993 Nov;22(6):939-42. Review.

PMID: 8129362

787: Harada T, Inoue T, Harashina T, Hatoko M, Ueda K.

Dermis-fat graft after parotidectomy to prevent Frey's syndrome and the concave deformity.

Ann Plast Surg. 1993 Nov;31(5):450-2.

PMID: 7818618

788: Veldman PH, Reynen HM, Arntz IE, Goris RJ.

Signs and symptoms of reflex sympathetic dystrophy: prospective study of 829 patients.

Lancet. 1993 Oct 23;342(8878):1012-6.

PMID: 8105263

789: Cohn MS, Mahon MJ.

Apert's syndrome (acrocephalosyndactyly) in a patient with hyperhidrosis.  
Cutis. 1993 Oct;52(4):205-8.  
PMID: 8261804

790: Kozma C, Gabriel S.

Gustatory flushing syndrome. A pediatric case report and review of the literature.  
Clin Pediatr (Phila). 1993 Oct;32(10):629-31. Review. No abstract available.  
PMID: 8261729

791: Krasna MJ, Flowers J, Morvick R.

Thoracoscopic sympathectomy.  
Surg Laparosc Endosc. 1993 Oct;3(5):391-4.  
PMID: 8261268

792: Chao C, Tsai CT, Hsiao HC, Wu WC, Lee CK.

Transaxillary endoscopic sympathectomy--a report of experience in 150 patients  
with palmar hyperhidrosis.  
Surg Laparosc Endosc. 1993 Oct;3(5):365-9.  
PMID: 8261263

793: Allison GR, Rappaport I.

Prevention of Frey's syndrome with superficial musculoaponeurotic system  
interposition.  
Am J Surg. 1993 Oct;166(4):407-10.  
PMID: 8214303

794: Byrne J, Walsh TN, Hederman WP.

Thoracoscopic sympathectomy.

Endosc Surg Allied Technol. 1993 Oct-Dec;1(5-6):261-5.

PMID: 8081893

795: Laccourreya O, Bernard D, de Lacharriere O, Bazin R, Brasnu D.

Frey's syndrome analysis with biosensor. A preliminary study.

Arch Otolaryngol Head Neck Surg. 1993 Sep;119(9):940-4.

PMID: 8395192

796: Urschel HC Jr.

Dorsal sympathectomy and management of thoracic outlet syndrome with VATS.

Ann Thorac Surg. 1993 Sep;56(3):717-20.

PMID: 8379779

797: Claes G, Drott C, Gothberg G.

Thoracoscopy for autonomic disorders.

Ann Thorac Surg. 1993 Sep;56(3):715-6.

PMID: 8379778

798: Iraci S, Bianchi L, Gatti S, Carrozzo AM, Bettini D, Nini G.

Pachyonychia congenita with late onset of nail dystrophy--a new clinical entity?

Clin Exp Dermatol. 1993 Sep;18(5):478-80.

PMID: 8252777

799: Claros P, Gonzalez-Ensenat MA, Arimany J, Vincente MA, Claros A.

[Frey syndrome in childhood]

Acta Otorrinolaringol Esp. 1993 Sep-Oct;44(5):385-6. Spanish.

PMID: 8129975

800: Sumner J.

How recovery helped me to recover. Experiences of hyperhidrosis.  
Br J Theatre Nurs. 1993 Aug;3(5):17-9. No abstract available.  
PMID: 8400531

801: Robertson DP, Simpson RK, Rose JE, Garza JS.

Video-assisted endoscopic thoracic ganglionectomy.  
J Neurosurg. 1993 Aug;79(2):238-40.  
PMID: 8331407

802: Daghfous M, Zghal M, Zghal A, Cherif F, Kamoun MR.

[Treatment of palmar and plantar hyperhidrosis by ++ionophoresis]  
Tunis Med. 1993 Aug-Sep;71(8-9):387-9. French. No abstract available.  
PMID: 8279080

803: Boutin C, Loddenkemper R, Astoul P.

Diagnostic and therapeutic thoracoscopy: techniques and indications in pulmonary  
medicine.  
Tuber Lung Dis. 1993 Aug;74(4):225-39. Review.  
PMID: 8219174

804: Friedel G, Linder A, Toomes H.

Selective video-assisted thoracoscopic sympathectomy.  
Thorac Cardiovasc Surg. 1993 Aug;41(4):245-8.  
PMID: 8211930

805: Linder A, Friedel G, Toomes H.

Palmar thermometry for intraoperative success control of thoracic sympathectomy.  
Thorac Cardiovasc Surg. 1993 Aug;41(4):242-4.  
PMID: 8211929

806: Reinauer S, Neusser A, Schauf G, Holzle E.

Iontophoresis with alternating current and direct current offset (AC/DC iontophoresis): a new approach for the treatment of hyperhidrosis.

Br J Dermatol. 1993 Aug;129(2):166-9.

PMID: 7654577

807: Gothberg G, Claes G, Drott C.

Electrocautery of the upper thoracic sympathetic chain: a simplified technique.

Br J Surg. 1993 Jul;80(7):862. No abstract available.

PMID: 8369917

808: Davis D, Jabbari B.

Significant improvement of stiff-person syndrome after paraspinal injection of botulinum toxin A.

Mov Disord. 1993 Jul;8(3):371-3.

PMID: 8341305

809: Galadari I, Mohsen S.

Leukonychia totalis associated with keratosis pilaris and hyperhidrosis.

Int J Dermatol. 1993 Jul;32(7):524-5. No abstract available.

PMID: 8340192

810: Pereon Y, de Ferron E, Feve JR, Marion JL, Guiheneuc P.

Electrophysiological study of a case of diffuse loss of sweating with segmental hyperhidrosis associated with areflexia.

Neurophysiol Clin. 1993 Jul;23(4):363-9.

PMID: 8332111

811: Hehir DJ, Brady MP.

Long-term results of limited thoracic sympathectomy for palmar hyperhidrosis.

J Pediatr Surg. 1993 Jul;28(7):909-11.

PMID: 8229566

812: Gordon A, Collin J.

Treating hyperhidrosis. Reserve sympathectomy for palmar hyperhidrosis.

BMJ. 1993 Jun 26;306(6894):1752. No abstract available.

PMID: 8343646

813: Quinn AC, Edwards RE, Newman PJ, Fawcett WJ.

Treating hyperhidrosis. Complications of endoscopic sympathectomy.

BMJ. 1993 Jun 26;306(6894):1752. No abstract available.

PMID: 8343645

814: Kopelman D, Schein M, Hashmonai M.

[Thoracoscopic resection of upper dorsal sympathetic chain for palmar hyperhidrosis]

Harefuah. 1993 Jun 15;124(12):748-50, 796. Hebrew.

PMID: 8375765

815: Ho WK, Wilson JD.

Hypothermia, hyperhidrosis, myokymia and increased urinary excretion of catecholamines associated with a thymoma.

Med J Aust. 1993 Jun 7;158(11):787-8.

PMID: 8341196

816: Zoller J, Herrmann A, Maier H.

Frey's syndrome secondary to a subcondylar fracture.

Otolaryngol Head Neck Surg. 1993 Jun;108(6):751-3. No abstract available.

PMID: 8516015

817: Redleaf MI, McCabe BF.

Gustatory otorrhea: Frey's syndrome of the external auditory canal.

Ann Otol Rhinol Laryngol. 1993 Jun;102(6):438-40.

PMID: 8512270

818: Schein M, Kopelman D, Hashmonai M.

Thoracic dorsal sympathectomy for hyperhidrosis: a new approach.

J Vasc Surg. 1993 Jun;17(6):1137-9. No abstract available.

PMID: 8505796

819: Linder A, Friedel G, Toomes H.

Prerequisites, indications, and techniques of video-assisted thoracoscopic surgery.

Thorac Cardiovasc Surg. 1993 Jun;41(3):140-6.

PMID: 8367865

820: Hederman WP.

Endoscopic sympathectomy.

Br J Surg. 1993 Jun;80(6):687-8. No abstract available.

PMID: 8305007

821: Korpelainen JT, Sotaniemi KA, Myllyla VV.

Asymmetric sweating in stroke: a prospective quantitative study of patients with hemispherical brain infarction.

Neurology. 1993 Jun;43(6):1211-4.

PMID: 8170568

822: Quraishy MS, Giddings AE.

Treating hyperhidrosis.

BMJ. 1993 May 8;306(6887):1221-2. No abstract available.

PMID: 8499848

823: Mizuta E, Yamasaki S, Nakatake M, Kuno S.

Neuroleptic malignant syndrome in a parkinsonian woman during the premenstrual period.

Neurology. 1993 May;43(5):1048-9.

PMID: 7605396

824: Mathias CJ.

Sympathetic nervous system disorders in man.

Baillieres Clin Endocrinol Metab. 1993 Apr;7(2):465-90. Review.

PMID: 8489487

825: Reinauer S, Holzle E.

[Ross syndrome. Comment on the contribution by P. Itin, P. Hirsbrunner, T. Rufli, P. Fuhr and A. Hagmann]

Hautarzt. 1993 Apr;44(4):251-2. German. No abstract available.

PMID: 8482612

826: Yamauchi Y, Kojoh H, Nagaro T, Miyazaki H, Kimura S, Arai T.

[Treatment of hyperhidrosis with caudal epidural alcohol block in a patient with cervical cord injury]

Masui. 1993 Apr;42(4):606-10. Japanese.

PMID: 8315803

827: Langendijk PN, Zuurmond WW, van Apeldoorn HA, van Loenen AC, de Lange JJ.

[Good results of treatment of reflex sympathetic dystrophy with a 50% dimethylsulfoxide cream]

Ned Tijdschr Geneeskd. 1993 Mar 6;137(10):500-3. Dutch.

PMID: 8455741

828: Darnell RB, Arbit E.

Reversible diencephalic dysfunction: episodic hyperhidrosis due to a trapped third ventricle.

Neurology. 1993 Mar;43(3 Pt 1):579-82.

PMID: 8451005

829: Endo T, Nakayama Y.

Surgical treatment of axillary osmidrosis.

Ann Plast Surg. 1993 Feb;30(2):136-9.

PMID: 8489177

830: Chung HY, Seo CG, Lee SG.

Video endoscopic sympathectomy using a fiberoptic CO2 laser to treat palmar hyperhidrosis.

Neurosurgery. 1993 Feb;32(2):327-9. No abstract available.

PMID: 8437676

831: Sudou K, Tashiro K.

Segmental hyperhidrosis in syringomyelia with Chiari malformation.

J Neurol. 1993 Feb;240(2):75-8.

PMID: 8437023

832: Reinauer S, Schauf G, Holzle E.

Ross syndrome: treatment of segmental compensatory hyperhidrosis by a modified iontophoretic device.

J Am Acad Dermatol. 1993 Feb;28(2 Pt 2):308-12.

PMID: 8436646

833: Drott C, Gothberg G, Claes G.

Endoscopic procedures of the upper-thoracic sympathetic chain. A review.

Arch Surg. 1993 Feb;128(2):237-41. Review.

PMID: 8431126

834: O'Riordain DS, Maher M, Waldron DJ, O'Donovan B, Brady MP.

Limiting the anatomic extent of upper thoracic sympathectomy for primary palmar hyperhidrosis.

Surg Gynecol Obstet. 1993 Feb;176(2):151-4.

PMID: 8421803

835: Claes G, Drott C, Gothberg G.

Endoscopic electrocautery of the thoracic sympathetic chain. A minimally invasive way to treat palmar hyperhidrosis.

Scand J Plast Reconstr Surg Hand Surg. 1993;27(1):29-33.

PMID: 8493481

836: Sehgal VN, Thappa DM, Sharma RC, Jain S, Bhattacharya SN.

Dyskeratosis congenita: a case report.

J Dermatol. 1993 Jan;20(1):56-8.

PMID: 8482753

837: Kansky A, Basta-Juzbasic A, Videnic N, Ivankovic D, Stanimirovic A.

Pachyonychia congenita (Jadassohn-Lewandowsky syndrome)--evaluation of symptoms in 36 patients.

Arch Dermatol Res. 1993;285(1-2):36-7. No abstract available.

PMID: 8470932

838: Konagaya Y, Konagaya M, Nakamuro T.

Recurrent polyradiculoneuropathy with hyperthyroidism.

Eur Neurol. 1993;33(3):238-40.

PMID: 8467845

839: Chou SH, Lee SH, Kao EL.

Thoracic endoscopic T2-T3 sympathectomy in palmar hyperhidrosis: experience of 112 cases.

Surg Today. 1993;23(2):105-7.

PMID: 8467154

840: Yamashita T, Tomoda K, Kumazawa T.

The usefulness of partial parotidectomy for benign parotid gland tumors. A retrospective study of 306 cases.

Acta Otolaryngol Suppl. 1993;500:113-6.

PMID: 8452007

841: Webster GF, Iozzo RV, Schwartzman RJ, Tahmoush AJ, Knobler RL, Jacoby RA.

Reflex sympathetic dystrophy: occurrence of chronic edema and nonimmune bullous skin lesions.

J Am Acad Dermatol. 1993 Jan;28(1):29-32.

PMID: 8425967

842: Lambert M, Kanyinda JM, Richard F, Sindic C.

Unilateral hyperhidrosis associated with intrathoracic IgD lambda myelomatous tumour.

Clin Oncol (R Coll Radiol). 1993;5(1):65-6.

PMID: 8424919

843: Tanaka M, Shimizu H, Monden T, Mori M.

Edema due to altered sweating function.

J Med. 1993;24(2-3):203-8.

PMID: 8409783

844: Levy I, Ariche A, Sebbag G, Hoda J.

[Chylothorax: a rare complication of transaxillary thoracic sympathectomy]

Ann Chir. 1993;47(8):769-72. French.

PMID: 8311411

845: Boudghene-Stambouli O, Merad-Boudia A, Benkalfat MR, Khedim A.

[Costa acro-kerato-elastoidosis]

Ann Dermatol Venereol. 1993;120(8):539-41. French.

PMID: 8304711

846: Elalaoui-Faris M, Ouahabi H, Slassi I, Medejel A, Ouazzani R, Saidi A, Miri A, Alaoui I, Chkili T.

[Isaacs syndrome: clinical remission after methylprednisolone bolus]

Rev Neurol (Paris). 1993;149(6-7):426-7. French. No abstract available.

PMID: 8303166

847: Fluckiger R, Itin PH.

Keratosis extremitatum (Greither's disease): clinical features, histology, ultrastructure.

Dermatology. 1993;187(4):309-11.

PMID: 8274799

848: Bennet JD, Pietruski J.

[Lucja Frey (1889-1943) in the 50th anniversary of her tragic death and 70th anniversary of the auriculotemporal syndrome]

Otolaryngol Pol. 1993;47(4):378-82. Polish.

PMID: 8255594

849: Lambert D, Guillet G, Denoeux JP, Thivolet J, Labeille B, Dalac S.

[Accidents caused by iontophoresis]

Ann Dermatol Venereol. 1993;120(12):907-8. French.

PMID: 8074354

850: Fricke PA.

[Hyperhidrosis axillaris]

Dtsch Med Wochenschr. 1992 Dec 22;117(51-52):1986. German. No abstract available.

PMID: 1478178

851: Freeman R, Waldorf HA, Dover JS.

Autonomic neurodermatology (Part II): Disorders of sweating and flushing.

Semin Neurol. 1992 Dec;12(4):394-407. Review. No abstract available.

PMID: 1485049

852: Chow TC, Tan CT, Hwang YS, Ting MC, Chen YP, Lin JC, Lin CC.

Sudden cardiac arrest during left thoracoscopic T2 sympathectomy.

Ma Zui Xue Za Zhi. 1992 Dec;30(4):277-82. No abstract available.

PMID: 1344244

853: Yokozeki H, Katayama I, Nishioka K, Kinoshita M, Nishiyama S.

The role of metal allergy and local hyperhidrosis in the pathogenesis of pompholyx.

J Dermatol. 1992 Dec;19(12):964-7.

PMID: 1293189

854: Casale R, Elam M.

Normal sympathetic nerve activity in a reflex sympathetic dystrophy with marked skin vasoconstriction.

J Auton Nerv Syst. 1992 Dec;41(3):215-9.

PMID: 1289385

855: da Silva JA, Brito JC, da Nobrega PV.

[Autonomic nervous system disorders in 230 cases of basilar impression and Arnold-Chiari deformity]

Neurochirurgia (Stuttg). 1992 Nov;35(6):183-8. German.

PMID: 1494411

856: Lycka BA.

EMLA. A new and effective topical anesthetic.

J Dermatol Surg Oncol. 1992 Oct;18(10):859-62. Review.

PMID: 1430539

857: Masters A, Rennie JA.

Endoscopic transthoracic sympathectomy for idiopathic upper limb hyperhidrosis.

Clin Auton Res. 1992 Oct;2(5):349-52.

PMID: 1422103

858: Jedeikin R, Olsfanger D, Shachor D, Mansoor K.

Anaesthesia for transthoracic endoscopic sympathectomy in the treatment of upper limb hyperhidrosis.

Br J Anaesth. 1992 Oct;69(4):349-51.

PMID: 1419441

859: Pace RF, Brown PM, Gutelius JR.

Thoracoscopic transthoracic dorsal sympathectomy.

Can J Surg. 1992 Oct;35(5):509-11.

PMID: 1393866

860: Korpelainen JT, Sotaniemi KA, Myllyla VV.

Hyperhidrosis as a reflection of autonomic failure in patients with acute hemispherical brain infarction. An evaporimetric study.

Stroke. 1992 Sep;23(9):1271-5.

PMID: 1519281

861: Byrne J, Walsh TN, Hederman WP.

Upper thoracic sympathectomy for primary palmar and axillary hyperhidrosis: long-term follow up.

Br J Surg. 1992 Sep;79(9):975-6. No abstract available.

PMID: 1422775

862: Kopera D, Soyer HP.

[Eccrine hamartoma of the sweat glands simulating localized unilateral hyperhidrosis]

Hautarzt. 1992 Sep;43(9):587-9. German.

PMID: 1399606

863: Adams DC, Wood SJ, Tulloh BR, Baird RN, Poskitt KR.

Endoscopic transthoracic sympathectomy: experience in the south west of England.

Eur J Vasc Surg. 1992 Sep;6(5):558-62.

PMID: 1397353

864: Gonzalez-Sicilia de Llamas L, Sanchez Monton T, Lopez Andreu FR, Tomas Tio F, Albarracin Marin-Blazquez A, Mira Sanchez E.

[Pheochromocytoma: a motley tumor]

An Med Interna. 1992 Sep;9(9):447-9. Spanish.

PMID: 1391582

865: Yu LT, Hamilton R.

Frey's syndrome: prevention with conservative parotidectomy and superficial musculoaponeurotic system preservation.

Ann Plast Surg. 1992 Sep;29(3):217-22.

PMID: 1326250

866: Szyber P, Janczak D.

[Thoracic sympathectomy in the treatment of chronic ischemia of upper extremities and excessive sweating of the palms]

Wiad Lek. 1992 Sep;45(17-18):665-70. Polish.

PMID: 1295251

867: Petzoldt D, Lamminger C.

[Axillary hyperhidrosis]

Dtsch Med Wochenschr. 1992 Aug 28;117(35):1339. German. No abstract available.

PMID: 1505357

868: Austin JJ, Doobay B, Schatz SW.

Transaxillary endoscopic laser sympathectomy.

Can J Surg. 1992 Aug;35(4):414-6.

PMID: 1498742

869: Chester JF, Jeddy TA, Taylor RS, Dormandy JA, Allt-Graham J.

Efficacy of endoscopic transthoracic sympathectomy assessed by peroperative palmar temperature measurement.

Br J Surg. 1992 Aug;79(8):752. No abstract available.

PMID: 1393460

870: Appleby TC, Edwards WH Jr.

Thorascopic dorsal sympathectomy for hyperhidrosis: a new approach.

J Vasc Surg. 1992 Jul;16(1):121-3. No abstract available.

PMID: 1619713

871: Ruiz de Erenchun F, Vazquez-Doval FJ, Contreras Mejuto F, Quintanilla E.

Localized unilateral hyperhidrosis: eccrine nevus.

J Am Acad Dermatol. 1992 Jul;27(1):115-6. No abstract available.

PMID: 1619061

872: Collins PC, Field LM, Narins RS.

Liposuction surgery and autologous fat transplantation.

Clin Dermatol. 1992 Jul-Sep;10(3):365-72. Review.

PMID: 1483255

873: Grazer FM.

A noninvasive surgical treatment of axillary hyperhidrosis.

Clin Dermatol. 1992 Jul-Sep;10(3):357-64. No abstract available.

PMID: 1483254

874: Bardaxoglou E, Reigner B, Enon B, Tolstuchow N, Lescalie F, Peret M, Chevalier JM.

Transthoracic endoscopy for upper thoracic chemical sympathectomy.

Ann Vasc Surg. 1992 Jul;6(4):390-2.

PMID: 1390030

875: Mon Y, Mizotani M.

[A case of hemi-hyperhidrosis and non-paralytic pontine exotropia due to brainstem infarction]

Rinsho Shinkeigaku. 1992 Jul;32(7):718-21. Japanese.

PMID: 1291162

876: Eisele DW.

Simple method for the assessment of Frey's syndrome.

Laryngoscope. 1992 May;102(5):583-4. No abstract available.

PMID: 1573957

877: Schwartz J, Leibovitz A, Habet B.

Profuse diaphoresis as the presenting symptom of myocardial ischemia with normal appearance of coronary arteriogram--a case report.

Angiology. 1992 May;43(5):432-5.

PMID: 1567068

878: Norback B, Svartholm E.

[Endoscopic thoracic sympathectomy is a simple and effective method against palmar sweating]

Lakartidningen. 1992 Apr 22;89(17):1478. Swedish. No abstract available.

PMID: 1573937

879: Claes G, Drott C, Gothberg G.

[Good results and low number of complications with minimal invasive endoscopic surgery of palmar sweating]

Lakartidningen. 1992 Apr 22;89(17):1477-8. Swedish. No abstract available.

PMID: 1573936

880: Sawada H, Seriu N, Udaka F, Kameyama M.

[Autonomic dysfunction of central nervous system disorders]

Nippon Rinsho. 1992 Apr;50(4):799-805. Review. Japanese.

PMID: 1619763

881: Saito H.

[Tests for autonomic functions: sudomotor function]

Nippon Rinsho. 1992 Apr;50(4):747-52. Review. Japanese.

PMID: 1619755

882: Takase Y, Tsushimi K, Yamamoto K, Fukusako T, Morimatsu M.

Unilateral localized hyperhidrosis responding to treatment with clonazepam.

Br J Dermatol. 1992 Apr;126(4):416. No abstract available.

PMID: 1571268

883: Gyftokostas D, Koutsoumbelis C, Daskalakis E, Bouhoutsos J.

Telford's operation for primary palmar hyperhidrosis.

Angiology. 1992 Apr;43(4):336-41.

PMID: 1558319

884: Schmeller N.

[A 79-year-old man with metastatic prostate cancer, treated with Zoladex, flutamide, calcitonin and Ostac, suffers from frequent troublesome sweating with

palpitation and angina pectoris, especially at night. Is there a therapy?]  
Internist (Berl). 1992 Apr;33(4):284. German. No abstract available.  
PMID: 1535344

885: Sakashita Y, Kakuta K, Kakuma K, Matsuda H.

[Unilateral persistent hyperhidrosis after ischemic stroke]  
Rinsho Shinkeigaku. 1992 Apr;32(4):454-6. Japanese.  
PMID: 1395337

886: Bonanno PC, Casson PR.

Frey's syndrome: a preventable phenomenon.  
Plast Reconstr Surg. 1992 Mar;89(3):452-6; discussion 457-8.  
PMID: 1741468

887: Walker BR, Anderson JA, Edwards CR.

Clonidine therapy for Shapiro's syndrome.  
Q J Med. 1992 Mar;82(299):235-45.  
PMID: 1631258

888: Andersen LS, Biering-Sorensen F, Muller PG, Jensen IL, Aggerbeck B.

The prevalence of hyperhidrosis in patients with spinal cord injuries and an  
evaluation of the effect of dextropropoxyphene hydrochloride in therapy.  
Paraplegia. 1992 Mar;30(3):184-91.  
PMID: 1630846

889: Hashmonai M, Kopelman D, Kein O, Schein M.

Upper thoracic sympathectomy for primary palmar hyperhidrosis: long-term follow-  
up.

Br J Surg. 1992 Mar;79(3):268-71.

PMID: 1555100

890: Edmondson RA, Banerjee AK, Rennie JA.

Endoscopic transthoracic sympathectomy in the treatment of hyperhidrosis.

Ann Surg. 1992 Mar;215(3):289-93.

PMID: 1543403

891: Manetto V, Medori R, Cortelli P, Montagna P, Tinuper P, Baruzzi A, Rancurel G, Hauw JJ, Vanderhaeghen JJ, Mailleux P, et al. Related Articles, OMIM

Fatal familial insomnia: clinical and pathologic study of five new cases.

Neurology. 1992 Feb;42(2):312-9.

PMID: 1736158

892: Heier MS, Aass N, Ous S, Fossa SD.

Asymmetrical autonomic dysfunction of the feet after retroperitoneal surgery in patients with testicular cancer: 2 case reports.

J Urol. 1992 Feb;147(2):470-1.

PMID: 1732625

893: Lin CC.

Extended thoracoscopic T2-sympathectomy in treatment of hyperhidrosis: experience with 130 consecutive cases.

J Laparoendosc Surg. 1992 Feb;2(1):1-6.

PMID: 1576368

894: Heimer WL 2nd, Brauner G, James WD. Related Articles, OMIM

Dermatopathia pigmentosa reticularis: a report of a family demonstrating autosomal dominant inheritance.

J Am Acad Dermatol. 1992 Feb;26(2 Pt 2):298-301.

PMID: 1303619

895: Hakulinen E.

[The woman behind the syndrome. Lucja Frey. Famous for her description of gustatory facial sweating]

Lakartidningen. 1992 Jan 22;89(4):211-2. Swedish. No abstract available.

PMID: 1734154

896: Kao MC.

Video endoscopic sympathectomy using a fiberoptic CO2 laser to treat palmar hyperhidrosis.

Neurosurgery. 1992 Jan;30(1):131-5.

PMID: 1738444

897: Schmelzer A, Rosin V, Steinbach E.

[Therapy of Frey's syndrome with an anhidrotic gel]

Laryngorhinootologie. 1992 Jan;71(1):59-63. German.

PMID: 1543523

898: Lodi A, Betti R, Chiarelli G, Urbani CE, Crosti C.

Epidemiological, clinical and allergological observations on pompholyx.

Contact Dermatitis. 1992 Jan;26(1):17-21.

PMID: 1534730

899: Kao MC.

Laser endoscopic sympathectomy for palmar hyperhidrosis.

Lasers Surg Med. 1992;12(3):308-12.

PMID: 1508026

900: Rufli T, Itin P, Gilli L.

Localized unilateral hyperhidrosis.

Dermatology. 1992;184(4):298-9.

PMID: 1498401

901: Posteraro AF.

Papillon-Lefevre syndrome.

J Ala Dent Assoc. 1992 Summer;76(3):16-9.

PMID: 1452914

902: Beylot-Barry M, Taieb A, Surleve-Bazeille JE, Maleville J.

Inflammatory familial palmoplantar keratoderma: Greither's disease?

Dermatology. 1992;185(3):210-4.

PMID: 1446088

903: Davis E.

Oscillometry of radial artery in acrocyanosis and cold sensitivity.

J Mal Vasc. 1992;17(3):214-7.

PMID: 1431608

904: Oknin Vlu, Vein AM, Sadekov RA, Vnotchenko SL.

[A clinico-physiological analysis of essential hyperhidrosis]

Zh Nevropatol Psikhiatr Im S S Korsakova. 1992;92(5-12):65-9. Russian.

PMID: 1338161

905: Vein AM, Danilov AB.

[The diagnostic significance of evoked cutaneous sympathetic potentials]

Zh Nevropatol Psikhiatr Im S S Korsakova. 1992;92(5-12):3-7. Russian.

PMID: 1338151

906: De Plaen JL, Sepulchre D, Bidingija M.

Paroxysmal hypertension and spontaneous periodic hypothermia.

Acta Clin Belg. 1992;47(6):401-7.

PMID: 1337813

907: Bonezzi C, Bettaglio R, Catenacci G.

[Reflex sympathetic dystrophy following electric shock: description of a clinical case]

Med Lav. 1991 Nov-Dec;82(6):521-6. Italian.

PMID: 1803213

908: [No authors listed]

Ruster examinations.

J Occup Med. 1991 Nov;33(11):1112. No abstract available.

PMID: 1765849

909: Pillay PK.

Surgical management of primary hyperhidrosis.

Br J Surg. 1991 Nov;78(11):1401. No abstract available.

PMID: 1760714

910: Drummond PD, Finch PM, Smythe GA.

Reflex sympathetic dystrophy: the significance of differing plasma catecholamine concentrations in affected and unaffected limbs.

Brain. 1991 Oct;114 ( Pt 5):2025-36.

PMID: 1933231

911: Sheehy TW.

Diabetic gustatory sweating.

Am J Gastroenterol. 1991 Oct;86(10):1514-7. Review.

PMID: 1928048

912: Nukada O, Uchiyama C, Ubuka S, Yoda T, Kobayashi K, Ichiki H, Saheki T.

A case of citrullinemia with abnormal messenger RNA for argininosuccinate synthetase.

Acta Paediatr Jpn. 1991 Oct;33(5):672-7.

PMID: 1799125

913: Kato N, Ueno H, Matsubara M.

A case report of EMO syndrome showing localized hyperhidrosis in pretibial myxedema.

J Dermatol. 1991 Oct;18(10):598-604.

PMID: 1791240

914: Burton MJ, Brochwicz-Lewinski M.

Lucja Frey and the auriculotemporal nerve syndrome.

J R Soc Med. 1991 Oct;84(10):619-20. No abstract available.

PMID: 1744848

915: Hage JJ, Karim RB.

[The treatment of axillary hyperhidrosis]

Ned Tijdschr Geneesk. 1991 Aug 31;135(35):1577-80. Review. Dutch. No abstract available.

PMID: 1922488

916: Adams DC, Poskitt KR.

Surgical management of primary hyperhidrosis.

Br J Surg. 1991 Aug;78(8):1019-20. No abstract available.

PMID: 1913099

917: Wakayama Y, Ohbu S, Machida H.

Myasthenia gravis, muscle twitch, hyperhidrosis and limb pain associated with thymoma: proposal of possible new myasthenic syndrome.

Tohoku J Exp Med. 1991 Aug;164(4):285-91.

PMID: 1836073

918: Gavric M.

[Auriculotemporal syndrome as a consequence of parotidectomy]

Stomatol Glas Srb. 1991 Aug-Oct;37(4):385-91. Serbo-Croatian (Roman).

PMID: 1664547

919: Swanson KS, Laskin DM, Campbell RL.

Auriculotemporal syndrome following the preauricular approach to temporomandibular joint surgery.

J Oral Maxillofac Surg. 1991 Jul;49(7):680-2.

PMID: 2056363

920: Macovei M, Popa C, Alexianu ME, Vulcan P.

Neurotrophic trigeminal syndrome after pontine stroke.

Rom J Neurol Psychiatry. 1991 Jul-Dec;29(3-4):153-8.

PMID: 1820101

921: Kumazawa K, Sobue G, Okamoto H, Yuasa K, Mitsuma T.

[Two cases of chronic inflammatory demyelinating polyradiculoneuropathy (CIDP) associated with Graves' disease]

Rinsho Shinkeigaku. 1991 Jul;31(7):768-71. Japanese.  
PMID: 1786665

922: Birnstingl M.

Surgical management of primary hyperhidrosis.  
Br J Surg. 1991 Jun;78(6):761. No abstract available.  
PMID: 2070250

923: Claes G, Gothberg G.

Endoscopic transthoracic electrocautery of the sympathetic chain for palmar and axillary hyperhidrosis.  
Br J Surg. 1991 Jun;78(6):760. No abstract available.  
PMID: 2070248

924: Theiss U, Kuhn I, Lucker PW.

Iontophoresis--is there a future for clinical application?  
Methods Find Exp Clin Pharmacol. 1991 Jun;13(5):353-9. Review.  
PMID: 1921572

925: Anand P, Springall DR, Blank MA, Sellu D, Polak JM, Bloom SR.

Neuropeptides in skin disease: increased VIP in eczema and psoriasis but not axillary hyperhidrosis.  
Br J Dermatol. 1991 Jun;124(6):547-9.  
PMID: 1712221

926: Weale F.

Endoscopic transthoracic electrocautery of the sympathetic chain for palmar and axillary hyperhidrosis.

Br J Surg. 1991 May;78(5):635. No abstract available.

PMID: 2059831

927: Kornblut AD.

Sternocleidomastoid muscle transfer in the prevention of Frey's syndrome.

Laryngoscope. 1991 May;101(5):571-2. No abstract available.

PMID: 2030639

928: Herrmann A, Zoller J, Maier H.

[Frey's syndrome (gustatory sweating) after fracture of the temporomandibular joint]

Laryngorhinootologie. 1991 Apr;70(4):196-8. German.

PMID: 2054025

929: Tan KK.

Sympathectomy for wet, dripping palms.

Singapore Med J. 1991 Apr;32(2):119-20.

PMID: 2042071

930: Farrell ML, Kalnins IK.

Frey's syndrome following parotid surgery.

Aust N Z J Surg. 1991 Apr;61(4):295-301.

PMID: 2018439

931: Bruce J, Tamarkin L, Riedel C, Markey S, Oldfield E.

Sequential cerebrospinal fluid and plasma sampling in humans: 24-hour melatonin measurements in normal subjects and after peripheral sympathectomy.

J Clin Endocrinol Metab. 1991 Apr;72(4):819-23.

PMID: 2005207

932: Cho KH, Kim SH, Park KC, Lee AY, Song KY, Chi JG, Lee YS, Kim KJ.

Angioblastoma (Nakagawa)--is it the same as tufted angioma?

Clin Exp Dermatol. 1991 Mar;16(2):110-3.

PMID: 2032370

933: Awada A, Ammar A, al-Rajeh S, Borollosi M.

Excessive sweating: an uncommon sign of basilar artery occlusion.

J Neurol Neurosurg Psychiatry. 1991 Mar;54(3):277-8.

PMID: 2030360

934: Moran KT, Brady MP.

Surgical management of primary hyperhidrosis.

Br J Surg. 1991 Mar;78(3):279-83. Review.

PMID: 2021839

935: Matsui Y, Nishii Y, Maeda M, Okada N, Yoshikawa K.

[Pachydermoperiostosis--report of a case and review of 121 Japanese cases]

Nippon Hifuka Gakkai Zasshi. 1991 Mar;101(4):461-7. Review. Japanese.

PMID: 1909389

936: Sato K.

Hyperhidrosis.

JAMA. 1991 Feb 6;265(5):651. No abstract available.

PMID: 1987421

937: Cameron A.

Endoscopic transthoracic electrocautery of the sympathetic chain for palmar and axillary hyperhidrosis.

Br J Surg. 1991 Feb;78(2):252. No abstract available.

PMID: 2015492

938: Salob SP, Atherton DJ, Kiely EM.

Thoracic endoscopic sympathectomy for palmar hyperhidrosis in an adolescent female.

J R Soc Med. 1991 Feb;84(2):114-5. No abstract available.

PMID: 1999811

939: Apesos J, Chami R.

Functional applications of suction-assisted lipectomy: a new treatment for old disorders.

Aesthetic Plast Surg. 1991 Winter;15(1):73-9. Review.

PMID: 1994653

940: Casler JD, Conley J.

Sternocleidomastoid muscle transfer and superficial musculoaponeurotic system plication in the prevention of Frey's syndrome.

Laryngoscope. 1991 Jan;101(1 Pt 1):95-100.

PMID: 1984560

941: Hennon DK.

Facial flushing in children: a variant of the auriculo-temporal syndrome.

J Indiana Dent Assoc. 1991 Jan-Feb;70(1):25-7.

PMID: 1856769

942: Chevrant-Breton J, Lezoraine C, Mazeas D, Bousser AM, Patoux-Pibouin M, Gosselin M, Lancien G, Le Marec B.

[Jackson-Lawler syndrome: a study in 2 families]

Ann Dermatol Venereol. 1991;118(11):781-4. French. No abstract available.

PMID: 1838673

943: Osipova VV, Posokhov SI, Danilov AB, Sadekov RK, Oknin Vlu, Tabeeva GR.

[Evaluation of the autonomic innervation of the pupil]

Zh Nevropatol Psikhiatr Im S S Korsakova. 1991;91(5):27-9. Russian.

PMID: 1654696

944: Oknin Vlu, Danilov AB, Posokhov SI, Tabeeva GR, Sadekov RA.

[Electrophysiological analysis of the functions of the sweat gland fibers in various diseases]

Zh Nevropatol Psikhiatr Im S S Korsakova. 1991;91(5):24-7. Russian.

PMID: 1654695

945: Shirabe S, Kishikawa M, Mine M, Miyazaki T, Kuratsune H, Tobinaga K.

Crow-Fukase syndrome associated with extramedullary plasmacytoma.

Jpn J Med. 1991 Jan-Feb;30(1):64-6. Review.

PMID: 1650856

946: Tiuvina NA.

[Mental disorders in women during menopause]

Zh Nevropatol Psikhiatr Im S S Korsakova. 1991;91(2):96-100. Russian.

PMID: 1647642

947: Chideckel EW.

Oxybutynin for diabetic complications.

JAMA. 1990 Dec 19;264(23):2994. No abstract available.

PMID: 2243424

948: Banerjee AK, Edmonson R, Rennie JA.

Endoscopic transthoracic electrocautery of the sympathetic chain for palmar and axillary hyperhidrosis .

Br J Surg. 1990 Dec;77(12):1435. No abstract available.

PMID: 2276033

949: Schnarch A, Markitziu A.

Dysgeusia, gustatory sweating, and crocodile tears syndrome induced by a cerebellopontine angle meningioma.

Oral Surg Oral Med Oral Pathol. 1990 Dec;70(6):711-4.

PMID: 2263327

950: Tandon R, Bajpai HS.

Gustatory sweating and diabetes mellitus.

J Assoc Physicians India. 1990 Dec;38(12):953. No abstract available.

PMID: 2096142

951: Stier B, Schroder T, Matschke HJ, Haas W.

[Olfactory and gustatory sweating--case report on reflex facial hyperhidrosis]

Psychiatr Neurol Med Psychol (Leipz). 1990 Nov;42(11):693-8. German.

PMID: 2093200

952: Gothberg G, Hyltander A, Claes G.

[Endoscopic thoracic sympathectomy. A surgical method employed in severe hand sweating]

Lakartidningen. 1990 Oct 10;87(41):3318-9. Swedish. No abstract available.

PMID: 2233003

953: Riolo J, Gumucio CA, Young AE, Young VL.

Surgical management of palmar hyperhidrosis.  
South Med J. 1990 Oct;83(10):1138-43. Review.  
PMID: 2218651

954: Miyauchi S, Hashimoto K, Miki Y.

The innermost cell layer of the outer root sheath is positive with Ki-67.  
J Invest Dermatol. 1990 Oct;95(4):393-6.  
PMID: 2212724

955: Schoning P.

Experimental frost-bite in Hanford Miniature Swine. III. Sweat gland changes.  
Int J Exp Pathol. 1990 Oct;71(5):713-6.  
PMID: 2206992

956: Adler OB, Engel A, Rosenberger A, Dondelinger R.

Palmar hyperhidrosis CT guided chemical percutaneous thoracic sympathectomy.  
Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr. 1990 Oct;153(4):400-3.  
PMID: 2171085

957: Ho KK, Rabinowe SL.

Antisymphathetic ganglia antibodies in a patient with gustatory sweating.  
J Diabet Complications. 1990 Oct-Dec;4(4):193-5. No abstract available.  
PMID: 2151234

958: Ganga-Zandzou PS, Turck D, Largilliere C, Farriaux JP.

[Auriculotemporal syndrome in an infant. A case report]  
Arch Fr Pediatr. 1990 Oct;47(8):615. French. No abstract available.  
PMID: 2078115

959: Wollina U, Funfstuck V, Schaarschmidt H, Henkel U, Knopf B.

[Pachyonychia congenita. Presentation of a case and histological-histochemical findings]

Hautarzt. 1990 Oct;41(10):557-61. German.

PMID: 1701763

960: Zachariae B, Bjerring P.

[Hyperhidrosis. Hypnotherapy of 2 patients with hyperhidrosis]

Ugeskr Laeger. 1990 Sep 24;152(39):2863-4. Danish.

PMID: 2219522

961: Tabuchi M, Mori E, Yamadori A.

[The role of magnetic resonance imaging in the diagnosis of Hallervorden-Spatz disease]

Rinsho Shinkeigaku. 1990 Sep;30(9):972-7. Review. Japanese.

PMID: 2265508

962: Byrne J, Walsh TN, Hederman WP.

Endoscopic transthoracic electrocautery of the sympathetic chain for palmar and axillary hyperhidrosis.

Br J Surg. 1990 Sep;77(9):1046-9.

PMID: 2131796

963: Waltman RE.

An obese man with tremor and exophthalmos.

Hosp Pract (Off Ed). 1990 Aug 15;25(8):161, 164, 166. No abstract available.

PMID: 2116428

964: Suchenwirth RM.

[Causalgia in neurologic expert assessment]

Versicherungsmedizin. 1990 Aug 1;42(4):121-3. German.

PMID: 2399634

965: Gitter DG, Sato K.

Localized hyperhidrosis in pretibial myxedema.

J Am Acad Dermatol. 1990 Aug;23(2 Pt 1):250-4.

PMID: 2212121

966: Baruch K.

Blunt dissection for the treatment of plantar verrucae.

Cutis. 1990 Aug;46(2):145-7, 151-2.

PMID: 2209078

967: Childers MA 3rd.

Nonsurgical management of Frey's syndrome.

Am J Otol. 1990 Jul;11(4):297. No abstract available.

PMID: 2399952

968: Yoshikata R, Yanai A, Takei T, Shionome H.

Surgical treatment of axillary osmidrosis.

Br J Plast Surg. 1990 Jul;43(4):483-5. No abstract available.

PMID: 2393776

969: Hegarty A, Merriam AE.

Autonomic events in Kleine-Levin syndrome.

Am J Psychiatry. 1990 Jul;147(7):951-2. No abstract available.

PMID: 2356886

970: Lillis PJ, Coleman WP 3rd.

Liposuction for treatment of axillary hyperhidrosis.

Dermatol Clin. 1990 Jul;8(3):479-82. Review.

PMID: 2199108

971: Asken S.

Perils and pearls of liposuction.

Dermatol Clin. 1990 Jul;8(3):415-9. Review.

PMID: 2199104

972: Goh CL.

Aluminum chloride hexahydrate versus palmar hyperhidrosis. Evaporimeter assessment.

Int J Dermatol. 1990 Jun;29(5):368-70.

PMID: 2361796

973: Leeman CP.

Pathophysiology of tricyclic-induced sweating.

J Clin Psychiatry. 1990 Jun;51(6):258-9. No abstract available.

PMID: 2347866

974: Zuccati G, Filippeschi C, Mastrolorenzo A, Rapaccini AL, Tiradritti L, Staderini C.

[Granulosis rubra nasi]

G Ital Dermatol Venereol. 1990 Jun;125(6):275-6. Italian.

PMID: 2279756

975: Hokusui S, Iwase S, Mano T, Takahashi A.

[A microneurographic analysis of minor reflex sympathetic dystrophy with increased skin sympathetic activity--report of a case]

Rinsho Shinkeigaku. 1990 Jun;30(6):668-71. Japanese.  
PMID: 2225664

976: Shi YF, Harris AG, Zhu XF, Deng JY.

Clinical and biochemical effects of incremental doses of the long-acting somatostatin analogue SMS 201-995 in ten acromegalic patients.  
Clin Endocrinol (Oxf). 1990 Jun;32(6):695-705.  
PMID: 2200620

977: Laccourreye O, Bonan B, Brasnu D, Laccourreye H.

Treatment of Frey's syndrome with topical 2% diphemanil methylsulfate (Prantal): a double-blind evaluation of 15 patients.  
Laryngoscope. 1990 Jun;100(6):651-3.  
PMID: 2190054

978: De Benedittis G.

Auriculotemporal syndrome (Frey's syndrome) presenting as tic douloureux. Report of two cases.  
J Neurosurg. 1990 Jun;72(6):955-8.  
PMID: 1692586

979: Chao C, Lin HE, Lo WT, Hung SY.

Bilateral simultaneous transaxillary sympathectomy in treatment of palmar hyperhidrosis: report of 60 cases.  
J Formos Med Assoc. 1990 May;89(5):403-5.  
PMID: 1977853

980: Tapper R.

Biology of the sweat glands.

J Am Acad Dermatol. 1990 Apr;22(4):699-700. No abstract available.

PMID: 2319034

981: Bazex J, Baran R, Monbrun F, Grigorieff-Larrue N, Marguery MC.

Hereditary distal onycholysis--a case report.

Clin Exp Dermatol. 1990 Mar;15(2):146-8.

PMID: 2347107

982: Arroyo HA, Di Blasi AM, Grinszpan GJ.

A syndrome of hyperhidrosis, hypothermia, and bradycardia possibly due to central monoaminergic dysfunction.

Neurology. 1990 Mar;40(3 Pt 1):556-7. No abstract available.

PMID: 2314606

983: Carcaterra A, Santini R, Sozzi G, Zuccoli E.

[Crow-Fukase syndrome (POEMS syndrome). The first Italian presentation of a case and review of the literature]

G Ital Dermatol Venereol. 1990 Mar;125(3):97-103. Review. Italian.

PMID: 2198231

984: Su WP, Chun SI, Hammond DE, Gordon H.

Pachyonychia congenita: a clinical study of 12 cases and review of the literature.

Pediatr Dermatol. 1990 Mar;7(1):33-8. Review.

PMID: 2140447

985: Ganeshmoorthy J, Saravanapavanathan T.

A case of hyperhidrosis successfully treated with 20% aluminium chloride hexahydrate in 95% ethyl alcohol.

Singapore Med J. 1990 Feb;31(1):85-6.

PMID: 2333553

986: van Lieshout JJ, Wieling W, Wesseling KH, Endert E, Karemaker JM.

Orthostatic hypotension caused by sympathectomies performed for hyperhidrosis.

Neth J Med. 1990 Feb;36(1-2):53-7.

PMID: 2314521

987: Shen JL, Lin GS, Li WM.

A new strategy of iontophoresis for hyperhidrosis.

J Am Acad Dermatol. 1990 Feb;22(2 Pt 1):239-41.

PMID: 2312804

988: Khurana RK.

Posttraumatic headache with ptosis, miosis and chronic forehead hyperhidrosis.

Headache. 1990 Jan;30(2):64-8. Review.

PMID: 2406222

989: Guerin JC, Demolombe S, Brudon JR.

[Thoracic sympathectomy by thoracoscopy. Apropos of 15 cases]

Rev Mal Respir. 1990;7(4):327-30. French.

PMID: 2399352

990: Tupker RA, Doeglas HM.

Water vapour loss threshold and induction of cholinergic urticaria.

Dermatologica. 1990;181(1):23-5.

PMID: 2394300

991: Childers MA 3rd.

Nonsurgical management of Frey's syndrome.

Am J Otol. 1990 Jan;11(1):50. No abstract available.

PMID: 2305859

992: Black MJ, Gunn A.

The management of Frey's syndrome with aluminium chloride hexahydrate antiperspirant.

Ann R Coll Surg Engl. 1990 Jan;72(1):49-52.

PMID: 2301903

993: Lin CC.

A new method of thoracoscopic sympathectomy in hyperhidrosis palmaris.

Surg Endosc. 1990;4(4):224-6.

PMID: 2291165

994: Bartin RH, Schmutz JL, Cuny JF, Vespignani H, Weber M, Beurey J.

[Ross's syndrome. Apropos of a case]

Ann Dermatol Venereol. 1990;117(2):113-4. Review. French. No abstract available.

PMID: 2188549

995: Dereure O, Guillot B, Dandurand M, Bataille R, Chertok P, Donadio D,

Blotman F, Barneon G, Guilhou JJ.

[Cutaneous lesions in POEMS syndrome. Apropos of 3 case reports and a review of the literature]

Ann Dermatol Venereol. 1990;117(4):283-90. Review. French.

PMID: 2164341

996: Wittmoser R.

[Surgical thoracoscopy]

Langenbecks Arch Chir Suppl II Verh Dtsch Ges Chir. 1990;:1325-31. German.

PMID: 1983538

997: Kiistala U, Kiistala R, Saarelainen I, Kolari P.

[Ion treatment in hyperhidrosis]

Duodecim. 1990;106(14):1052-6. Finnish. No abstract available.

PMID: 1670351

998: Baily GG, Saddler MC.

Unusual cystic lesions of the spinal cord.

J R Soc Med. 1989 Dec;82(12):765-6. No abstract available.

PMID: 2614775

999: Christ JE.

The application of suction-assisted lipectomy for the problem of axillary hyperhidrosis.

Surg Gynecol Obstet. 1989 Nov;169(5):457. No abstract available.

PMID: 2814759

1000: Bouros C.

[Auriculotemporal syndrome in patient with prostatic secondaries to the cervical vertebrae and neck lymph nodes]

Stomatologia (Athenai). 1989 Nov-Dec;46(6):375-84. Greek, Modern.

PMID: 2640536